

NOISE STUDY REPORT

Florida Department of Transportation

District Five

I-75 (S.R.93)

from South of S.R. 44 to S.R. 200

Sumter and Marion County, Florida

Financial Management Number: 452074-2

ETDM Number: 14541

April 2024

The environmental review, consultation, and other actions required by applicable federal environmental laws for this project are being, or have been, carried out by the Florida Department of Transportation (FDOT) pursuant to 23 USC § 327 and a Memorandum of Understanding dated May 26, 2022, and executed by the Federal Highway Administration and FDOT.



I-75



S.R. 44 TO S.R. 200

DRAFT

Noise Study Report

April 2024

FPID: 452074-2

The environmental review, consultation, and other actions required by applicable federal environmental laws for this project are being, or have been, carried out by FDOT pursuant to 23 U.S.C. § 327 and a Memorandum of Understanding dated May 26, 2022 and executed by FHWA and FDOT.



Executive Summary

The Florida Department of Transportation (FDOT) is conducting a Project Development and Environment (PD&E) study for proposed operational improvements to the Interstate 75 (I-75) corridor in Sumter and Marion County, Florida. These interim improvements were identified as part of Phase 1 of a master planning effort for the I-75 corridor between Florida's Turnpike and County Road (C.R.) 234.

The purpose of this project is to evaluate short-term operational improvements on the mainline of I-75 from south of State Road (S.R.) 44 to S.R. 200. No interchange improvements will be evaluated with this PD&E. The primary needs for this project are to enhance current transportation safety and modal interrelationships while providing additional capacity between existing interchanges.

Noise levels for this project were predicted using the Federal Highway Administration (FHWA) Traffic Noise Model (TNM), version 2.5. A total of 309 receptor locations representing 367 residential and 38 nonresidential "special land use (SLU)" noise sensitive sites were included in the TNM. Noise levels at 185 residences and thirteen special land use sites are predicted to approach or exceed the Noise Abatement Criteria (NAC) for the year 2040 Build Alternative and are therefore considered "impacted."

Analyses of the impacted locations were performed to determine if noise abatement was feasible and reasonable under FDOT policy. The PD&E study phase analysis indicates that noise barriers are potentially feasible and reasonable at two locations within the project corridor. These two noise barriers could potentially provide reasonable and feasible noise abatement for 51 of the 185 impacted residences and one impacted SLU site. Noise abatement was not determined feasible and reasonable for eleven of the twelve impacted SLU sites.

The potentially feasible and reasonable noise barriers meet the FDOT's cost-per-benefit criteria with a preliminary cost of under the \$42,000 per benefited receptor criterion. Noise barriers at these two locations will be carried forward for further consideration in this project's design phase; note that the dimensions of the noise walls are subject to change during design. The results of the noise barrier evaluations where noise abatement was determined to be feasible and reasonable are summarized in **Table 4-1**.



CONTENTS

Executive Summary i

1.0 Introduction 1

 1.1 Project Purpose and Need..... 1

 1.1.1 Project Purpose 1

 1.1.2 Project Need..... 1

 1.2 Alternatives..... 4

 1.2.1 No-Build Alternative..... 4

 1.2.2 Auxiliary Lanes Alternative 4

2.0 Methodology..... 5

 2.1 Noise Metrics..... 5

 2.2 Traffic Data 5

 2.3 Noise Abatement Criteria..... 6

 2.4 Noise Abatement Measures..... 8

 2.4.1 Traffic Management 8

 2.4.2 Alignment Modifications 9

 2.4.3 Buffer Zones & Land Use Controls..... 9

 2.4.4 Noise Barriers 9

 2.4.5 Nonresidential Barrier Analysis..... 10

3.0 Traffic Noise Analysis and Abatement Evaluation..... 11

 3.1 Model Validation..... 11

 3.2 Noise Sensitive Receptors..... 12

 3.3 Predicted Noise Levels and Abatement Analysis 13

 3.3.1 Noise Study Area NB1 14

 3.3.2 Noise Study Areas NB2 and NB3..... 14

 3.3.3 Noise Study Area NB4 17

 3.3.4 Noise Study Area NB5 20

 3.3.5 Noise Study Area NB6 25

 3.3.6 Noise Study Area NB7 25

 3.3.7 Noise Study Area NB8 28



Noise Study Report

3.3.8	Noise Study Area NB9	30
3.3.9	Noise Study Area NB10.....	35
3.3.10	Noise Study Area NB11.....	35
3.3.11	Noise Study Area SB1	35
3.3.12	Noise Study Area SB2	35
3.3.13	Noise Study Area SB3	36
3.3.14	Noise Study Area SB4	40
3.3.15	Noise Study Area SB5	43
3.3.16	Noise Study Area SB6	45
3.3.17	Noise Study Area SB7	49
3.3.18	Noise Study Area SB8	51
3.3.19	Noise Study Area SB9	55
3.3.20	Noise Study Area SB10.....	55
3.3.21	Noise Study Area SB11.....	59
4.0	Conclusions	61
4.1	Statement of Likelihood	61
5.0	Construction Noise and Vibration	63
6.0	Public Coordination	63
6.1	Noise Impact Contours	63
7.0	References	66
Appendix A	Project Noise Traffic Data	
Appendix B	Predicted Noise Levels	
Appendix C	Noise Barrier Location Maps	
Appendix D	Project Aerials	



FIGURES

Figure 1-1 | Project Limits 2

Figure 1-2 | Auxiliary Lanes Alternative Typical Section 4

Figure 6-1 | Project Noise Contours South of S.R. 44..... 64

Figure 6-2 | Project Noise Contours from S.R. 44 to North of S.R. 200 65

TABLES

Table 1-1 | Existing and Forecast Traffic Volumes 3

Table 2-1 | Noise Abatement Criteria..... 7

Table 2-2 | Comparative Sound Levels..... 8

Table 3-1 | TNM Validation Results Summary..... 12

Table 3-2 | Noise Barrier NB-A1 Evaluation (NSAs NB2 & NB3)..... 16

Table 3-3 | Noise Barrier NB-A2 Evaluation (NSA NB4 -South)..... 18

Table 3-4 | Noise Barrier NB-A3 Evaluation (NSA NB4 - North) 19

Table 3-5 | Noise Barrier NB-A4 Evaluation (NSA NB5)..... 21

Table 3-6 | Noise Barrier NB-A4 Receptor NB5-SLU1 Residential Equivalent Evaluation..... 22

Table 3-7 | Noise Barrier NB-A4 Combined Residential and SLU Evaluation (NSA NB5) 23

Table 3-8 | Receptor NB5-SLU2 Noise Abatement Preliminary Screening 24

Table 3-9 | Noise Barrier NB1 Evaluation (NSA NB7) 27

Table 3-10 | Noise Barrier NB-A5 Evaluation (NSA NB8) 29

Table 3-11 | Noise Barrier NB-A6 Evaluation (NSA NB9) 31

Table 3-12 | Noise Barrier NB-A6 Receptor NB9-SLU1 Residential Equivalent Evaluation 32

Table 3-13 | Noise Barrier NB-A6 Receptor NB9-SLU2 Residential Equivalent Evaluation 33

Table 3-14 | Noise Barrier NB-A6 Combined Residential and SLU Evaluation (NSA NB9)..... 34

Table 3-15 | Noise Barrier SB-A1 Evaluation (NSA SB3- South) 38

Table 3-16 | Noise Barrier SB-A2 Evaluation (NSA SB3 - North)..... 39

Table 3-17 | Receptor SB3-SLU1 Noise Abatement Preliminary Screening 40

Table 3-18 | Noise Barrier SB-A3 Evaluation (NSA SB4) 42

Table 3-19 | Receptor SB5-SLU1.8 Noise Abatement Preliminary Screening 44

Table 3-20 | Receptor SB5-SLU2 Noise Abatement Preliminary Screening 44

Table 3-21 | Noise Barrier SB-A4 Receptor SB6-SLU1 Residential Equivalent Evaluation 46

Table 3-22 | Noise Barrier SB-A4 Receptor SB6-SLU2 Residential Equivalent Evaluation 47

Table 3-23 | Noise Barrier SB-A4 Combined SLU Evaluation (NSA SB6)..... 48

Table 3-24 | Noise Barrier SB-A5 Evaluation (NSA SB7) 50

Table 3-25 | Noise Barrier NB-A5 Evaluation (NSA NB8) 52

Table 3-26 | Noise Barrier SB-A6 Receptor SB8-SLU1 Residential Equivalent Evaluation 53



Table 3-27 | Noise Barrier SB-A6 Combined Residential and SLU Evaluation (NSA SB8)..... 54

Table 3-28 | Noise Barrier SB-A7 Receptor SB10-SLU1.1 Residential Equivalent Evaluation 56

Table 3-29 | Noise Barrier SB-A7 Receptor SB10-SLU3 Residential Equivalent Evaluation..... 57

Table 3-30 | Noise Barrier SB-A4 Combined SLU Evaluation (NSA SB6)..... 58

Table 3-31 | Noise Barrier SB1 Evaluation (NSA SB11) 60

Table 4-1 | Potentially Feasible and Reasonable Noise Barrier Evaluation Summary 62



ACRONYMS AND ABBREVIATIONS

AADT	Average Annual Daily Traffic
C.R.	County Road
CFR	Code of Federal Regulations
CNE	Common Noise Environment
EOP	Edge of Pavement
FDOT	Florida Department of Transportation
FHWA	Federal Highway Administration
ILC	Intermodal Logistic Centers
LOS	Level of Service
L RTP	Long Range Transportation Plan
MSE	Mechanically Stabilized Earth
MPH	Miles Per Hour
NAC	Noise Abatement Criteria
NB	Northbound
NEPA	National Environmental Policy Act
NRDG	Noise Reduction Design Goal
NSA	Noise Study Area
PD&E	Project Development and Environment
PTAR	Project Traffic Analysis Report
ROW	Right-of-Way
SB	Southbound
SIS	Strategic Intermodal System
S.R.	State Road
U.S.C.	United States Code



1.0 Introduction

The Florida Department of Transportation (FDOT) is conducting a Project Development and Environment (PD&E) Study for proposed operational improvements to the Interstate 75 (I-75) corridor in Sumter and Marion County, Florida. These interim improvements were identified as part of Phase 1 of a master planning effort for the I-75 corridor between Florida’s Turnpike and County Road (C.R.) 234. The operational improvements evaluated by this PD&E Study include the construction of auxiliary lanes between interchanges for a 22.5-mile segment of I-75 from south of State Road (S.R.) 44 to S.R. 200. The limits of the project are shown in **Figure 1-1**. The Marion County Northbound (NB) and Ocala Southbound (SB) weigh stations are located within the study limits as well as a rest area north of C.R. 484 and south of S.R. 200.

Within the study limits, I-75 is an urban principal arterial interstate that runs in a north and south direction with a posted speed of 70 miles per hour (MPH). I-75 is part of the Florida Intrastate Highway System, the Florida Strategic Intermodal System (SIS), and is designated by the Florida Department of Emergency Management (FDEM) as a critical link evacuation route. Within the study limits, I-75 is a six-lane limited access facility situated within approximately 300 feet of right-of-way (ROW). No transit facilities, frontage roads, or managed lanes are currently provided.

1.1 Project Purpose and Need

1.1.1 Project Purpose

The purpose of this project is to evaluate short-term operational improvements on the mainline of I-75 from south of S.R. 44 to S.R. 200. No interchange improvements will be evaluated with this PD&E.

1.1.2 Project Need

The primary needs for this project are to enhance current transportation safety and modal interrelationships while providing additional capacity between existing interchanges.

1.1.2.1 Capacity/Transportation Demand

Existing annual average daily traffic (AADT) on I-75 within the study limits ranges from 81,000 vehicles per day (vpd) to 97,000 vpd, with the highest volume of traffic occurring between C.R. 484 and S.R. 200. The AADT along I-75 between S.R. 44 and C.R. 484 is 81,000 vpd. I-75 northbound and southbound operate at a level of service (LOS) C or better during the average weekday AM and PM peak hours. The LOS target for I-75 is D; as early as 2030, I-75 northbound and southbound between C.R. 484 and S.R. 200 is expected to operate at LOS F.




Figure 1-1 | Project Limits



By 2040, the Design Year, AADT's within the study limits will range between 102,000 and 143,000, with the highest volumes of traffic continuing to occur between C.R. 484 and S.R. 200 (Table 1-1). The traffic growth and reduction in LOS is related to two factors, forecast increases in population and employment, and continued growth in tourism in Central and South Florida. I-75 and Florida's Turnpike are critical transportation links serving these markets.

I-75 is a unique corridor that experiences substantial increases in traffic during holidays, peak tourism seasons, weekends, and special events and experiences frequent closures because of incidents leading to non-recurring congestion. I-75 is part of the emergency evacuation route network designated by the FDEM.

Table 1-1 | Existing and Forecast Traffic Volumes

Segment	Existing (2019) AADT	Opening Year (2030)	Design Year (2040) AADT
S. R. 44 and C.R. 484	81,000	102,000	121,000
C.R. 484 and S.R. 200	97,000	121,000	143,000

1.1.2.2 Safety

Historical crash data along I-75 was obtained from the Signal 4 crash database. Crash data analyzed between 2018 and 2022 indicates there was a total of 2,590 vehicle crashes between Florida's Turnpike and S.R. 200. Of these, 707 resulted in at least one injury and 11 resulted in a fatality, five of which involved a commercial motor vehicle. The number of crashes decreased from 2018 (592) to 2020 (378), but then increased to 559 crashes in 2022. Crashes occurring between Friday and Sunday comprised approximately 55 percent of the total crashes in this analysis period.

I-75 through the project limits experiences crash rates (1.8 - Rural, 1.66 - Urban) greater than the corresponding statewide averages (0.45 - Rural, 1.00 - Urban) for similar facilities. This is 4 times higher than the statewide rural rate and 66% higher than the statewide urban rate.

I-75 is designated as a primary hurricane evacuation route by the FDEM. Due to the regional transportation system having few alternative routes, a crash, incident, or even a planned special event can result in severe delays. This issue increases in significance during emergency events. Recent studies estimate that nearly 313,000 people in Marion, Alachua, and Sumter counties to the south would need to evacuate during a major hurricane. An additional 2.2 million people from the Tampa Bay Area would also utilize I-75 during a major hurricane evacuation. It would take

approximately 56 hours for the Tampa Bay region to completely clear during a hurricane, with Marion County taking approximately 39 hours and Alachua County taking 14 hours.

1.1.2.3 Modal Interrelationships

Truck traffic on I-75 is substantial and accounts for over 20 percent of all daily vehicle trips within the study limits based on the FDOT, Traffic Characteristics Inventory. The segment of I-75 between SR 44 and CR 484 experiences the highest volume of trucks with more than 25 percent of the total trips made by trucks. Multiple existing and planned Intermodal Logistic Centers (ILC) and freight activity centers in Ocala contribute to the growth in truck volumes. These facilities include the Ocala/Marion County Commerce Park (Ocala 489), Ocala 275 ILC, and the Ocala International Airport and Business Park. The interaction between heavy freight vehicles and passenger vehicles between interchanges contributes to both operational congestion and safety concerns.

1.2 Alternatives

1.2.1 No-Build Alternative

The No-Build Alternative is defined as the scenario in which the proposed activity would not take place. The existing six-lane I-75 facility and the existing interchange configurations are considered the No-Build Alternative. The No-Build Alternative does not address the purpose and need for this project; however, it serves as the baseline against which the build alternative is evaluated.

1.2.2 Auxiliary Lanes Alternative

The Auxiliary Lanes Alternative is the sole build alternative evaluated in this PD&E study and is based on recommendations from previous master planning activities. The Auxiliary Lanes Alternative proposes to add one 12-foot auxiliary lane (additional lane between interchanges) to the outside of the general-purpose lanes in each direction. The auxiliary lanes would not impact the interchange bridges. The typical section is shown in **Figure 1-2**.



Figure 1-2 | Auxiliary Lanes Alternative Typical Section



2.0 Methodology

The traffic noise impact analysis conducted for this project is consistent with Title 23, *Code of Federal Regulations* (C.F.R.), § 772, Part II, Chapter 18 of the FDOT *Project Development and Environment Manual*, and Chapter 335, Section 335.17, *Florida Statutes*. This assessment also adheres to current Federal Highway Administration (FHWA) traffic noise analysis guidelines contained in *FHWA-HEP-10-025*. The FHWA Traffic Noise Model (TNM) - version 2.5 was used to predict traffic noise levels for this project following guidelines set forth in the FDOT *Traffic Noise Modeling and Analysis Practitioners Handbook*. The analysis evaluated noise levels for the 2019 Existing Condition and the 2040 No-Build and Build Alternatives.

Noise receptor coordinates used in the TNM correlate to exterior areas where frequent human use may occur, usually at the edge of the residential structure closest to the project roadways, unless the analyst's professional judgment determines otherwise.

The project design files (State Plane West) were used to determine the location of the Build Alternative for input into TNM. Vertical elevations (existing and proposed) for I-75 and analyzed receptors were derived from as-built plans (previous widening). Vertical elevations for noise receptors and cross/side streets were obtained from the United States Geological Survey digital elevation models.

2.1 Noise Metrics

Sound levels for this analysis are expressed in decibels (dB) using an "A"-scale weighting expressed as dB(A). This scale most closely approximates the response characteristics of the human ear to typical traffic sound levels. All reported sound levels are hourly equivalent noise levels [L_{eq}]. The L_{eq} is defined as the equivalent steady-state sound level that, in a given hourly period, contains the same acoustic energy as the time-varying sound level for the same hourly period.

2.2 Traffic Data

Traffic noise is heavily dependent on traffic volume and speed, with the amount of noise generated by traffic increasing as the vehicle speed and number of vehicles increase. Characteristics contributing to the highest traffic noise levels were used to predict project noise levels. Worst-case noise conditions occur with the maximum traffic traveling at the posted speed and represent a LOS C operating condition. However, if the traffic analysis indicates the roadway will operate below LOS C, the project's demand peak-hour directional traffic volumes are used per Chapter 18 of the FDOT PD&E Manual. Traffic volumes and speeds used in the analysis are included in **Appendix A**.



2.3 Noise Abatement Criteria

Land use plays an important role in traffic noise analyses. To determine which land uses are "noise sensitive," this noise impact analysis used the FHWA Noise Abatement Criteria (NAC) shown in **Table 2-1**. The FDOT has established noise levels for each land use activity category at which noise abatement must be considered. In Florida, noise levels that meet or exceed 66.0 dB(A) at Activity Category B and C land uses require noise abatement consideration. A 71.0 dB(A) noise level is required for an Activity Category E land use to be considered impacted by traffic noise. Another criterion for determining when project impacts warrant abatement consideration occurs when project noise levels are below the NAC but show a substantial increase (15.0 dB(A) or more) over existing levels. A substantial increase typically occurs in areas where traffic noise is a minor component of the existing noise environment but would become a major component after the project is constructed (e.g., a new alignment project).

Table 2-1 | Noise Abatement Criteria

Hourly A-Weighted Sound Level-decibels (dB(A))				Description of Activity Category
Activity Category	Activity Leq(h) ¹		Evaluation Location	
	FHWA	FDOT		
A	57.0	56.0	Exterior	Lands on which serenity and quiet are of extraordinary significance and serve an important public need and where the preservation of those qualities is essential if the area is to continue to serve its intended purpose.
B ²	67.0	66.0	Exterior	Residential.
C ²	67.0	66.0	Exterior	Active sports areas, amphitheaters, auditoriums, campgrounds, cemeteries, daycare centers, hospitals, libraries, medical facilities, parks, picnic areas, golf courses, places of worship, playgrounds, public meeting rooms, public/nonprofit institutional structures, radio studios, recording studios, recreational areas, Section 4(f) sites, schools, television studios, trails, and trail crossings.
D	52.0	51.0	Interior	Auditoriums, daycare centers, hospitals, libraries, medical facilities, places of worship, public meeting rooms, public/nonprofit institutional structures, radio studios, recording studios, schools, and television studios.
E ²	72.0	71.0	Exterior	Hotels, motels, offices, restaurants/bars, and other developed lands, properties, or activities not included in A-D or F.
F	-	-	-	Agriculture, airports, bus yards, emergency services, industrial, logging, maintenance facilities, manufacturing, mining, rail yards, retail facilities, shipyards, utilities (water resources, water treatment, electrical), and warehousing.
G	-	-	-	Undeveloped lands that are not permitted.

(Based on Table 1 of 23 CFR Part 772)

¹ The Leq(h) Activity Criteria values are for impact determination only and are not design standards for noise abatement measures.

² Includes undeveloped lands permitted for this activity category.



For comparison purposes, typical noise levels for common indoor and outdoor activities are provided in **Table 2-2**.

Table 2-2 | Comparative Sound Levels

Common Outdoor Activities	dB(A)	Common Inside Activities
Jet Flyover at 1,000 ft.	-110-	Rock Band
Gas Lawn Mower at 3 ft.	-100-	
Diesel Truck at 50 ft. (at 50 mph)	-90-	Food Blender at 3 ft. Garbage Disposal at 3 ft.
Busy Urban Area Daytime	-80-	
Gas Mower at 100 ft.	-70-	Vacuum Cleaner at 10 ft. Normal Speech at 3 ft.
Commercial Area Heavy Traffic at 300 ft.	-60-	
Quiet Urban Daytime	-50-	Large Business Office
Quiet Urban Nighttime	-40-	Dishwasher Next Room
Quiet Suburban Nighttime	-40-	
Quiet Rural Nighttime	-30-	Library
	-20-	
Lowest Threshold of Human Hearing	-10-	Lowest Threshold of Human Hearing
	-0-	

Source: California Dept. of Transportation Technical Noise Supplement, Oct. 1998, Page 18.

2.4 Noise Abatement Measures

When traffic noise impacts are identified as part of the traffic noise analysis, noise abatement must be considered. The potential abatement alternatives considered during the PD&E included traffic management, alternative roadway alignments, buffer zones, and noise barriers.

2.4.1 Traffic Management

Traffic management measures that limit motor vehicle speeds and reduce volumes can be effective as a noise mitigation option; however, these measures may also negate a project's ability to meet the facility's needs. For example, if the posted speed on I-75 were reduced, the capacity of the roadway to handle the forecasted motor vehicle demand would also be reduced. Therefore, reducing traffic speeds and/or traffic volumes is inconsistent with improving the

roadway's ability to handle the forecasted volumes. As such, although feasible, traffic management measures beyond the existing heavy truck restrictions in the left (inside) general-purpose lanes, are not considered a reasonable noise mitigation measure for the project.

2.4.2 Alignment Modifications

Alignment modification involves orienting and/or siting the roadway at sufficient distances from noise sensitive sites to minimize traffic noise. Based on the noise contours developed for this project and shown in **Section 6** of this NSR, any alignment shift that would avoid traffic-related noise impacts of the proposed project would introduce noise impacts to other noise sensitive sites, and no net benefit would result. Therefore, alignment modifications are not considered a reasonable noise mitigation measure.

2.4.3 Buffer Zones & Land Use Controls

Noise buffer zones that separate the roadway and noise sensitive land uses can minimize or eliminate noise impacts to areas of future development. This measure requires local land use planning not currently in place within the project corridor. Because the noise impact analysis applies to existing land uses, buffer zones are not an applicable abatement measure. However, for any new development or redevelopment occurring in the future, local officials can use the noise contour information provided in **Section 6** of this NSR to establish buffer zones, thereby minimizing or avoiding noise impacts on future sensitive land uses.

2.4.4 Noise Barriers

The most common type of noise abatement measure is constructing a noise barrier. Due to the limited right-of-way (ROW) and proposed typical sections, noise barriers are the only measure considered for this project. The following feasibility and reasonableness factors must be evaluated when considering noise barriers for abatement.

2.4.4.1 Feasibility Factors

The FDOT PD&E Manual stipulates that a noise barrier must meet acoustic and engineering criteria to be considered feasible, as summarized below:

- Acoustic feasibility: The barrier must provide a minimum of 5.0 dB(A) reduction in traffic noise for at least two impacted receptors. Consequently, noise barriers are not evaluated for isolated and single impacted receptors.
- Engineering feasibility: The engineering review identifies whether other factors must be evaluated for the barrier to be considered feasible.
- Safety: If a noise barrier and safety conflict exist, primary consideration must be given to safety. An example of such a conflict would be the loss of a safe sight distance (line of sight) at an intersection or driveway resulting from a noise barrier placement.

- Accessibility to adjacent properties: The noise barrier placement cannot block ingress and egress on non-limited access roadways. Other access issues to be considered include access to a local sidewalk or normal travel routes. Neither applies to noise barriers on limited-access roadways.
- Right-of-way needs: Does the noise barrier require additional land, access rights, or easements for construction and maintenance?
- Maintenance: Maintenance crews must have reasonable access to both sides of the barrier for personnel and equipment using standard practices.
- Drainage: Does the barrier impact existing or planned drainage?
- Utilities: Does the barrier impact existing utilities?

2.4.4.2 Reasonableness Factors

If a noise barrier meets the feasibility criteria, the following reasonableness factors must collectively be achieved for the noise abatement measure to be deemed reasonable.

- Acoustic reasonableness: The barrier must attain the FDOT noise reduction design goal (NRDG) of 7.0 dB(A) for at least one benefited receptor. (Note: to be considered "benefited," the receptor must receive a minimum of 5.0 dB(A) in traffic noise reduction from the barrier.) Failure to achieve the NRDG results in the noise abatement measure being deemed not reasonable.
- Cost effectiveness: Using the current \$30.00 per square foot statewide average, a cost of \$42,000 per benefited receptor is the upper limit for a cost reasonable noise barrier.
- Benefited property owner and resident viewpoints: During project development, FDOT solicits the opinion of benefited owners and residents regarding noise abatement. Affected owners and residents are given the opportunity to provide input regarding their desires to have the proposed noise abatement measure constructed. This process aims to obtain a response for or against the noise barrier from a majority of respondents to the survey. The noise barrier is not deemed reasonable if a majority consensus is not obtained in favor of the barrier.

2.4.5 Nonresidential Barrier Analysis

The methodology used to evaluate noise barrier systems for nonresidential sites differs from those used for residential locations. The standard procedure for determining the feasibility and reasonableness of a noise barrier for a special land use (SLU) site is documented in *Methodology to Evaluate Traffic Noise at Special Land Uses* (FDOT 2023). This SLU evaluation is a multi-step process.

- If an impacted SLU receptor is not adjacent to impacted residences or other impacted SLUs such that a single noise barrier would not be a practical form of abatement for all

impacted properties, it is considered isolated. It must go through a Preliminary Screening analysis to determine if it has enough person-hour usage to equate to at least two residences to be found feasible for noise abatement. To meet the feasibility requirement, the isolated SLU must have at least 45,026 person-hours of use per year in the benefited area for a noise barrier to be found as a feasible form of noise abatement.

- A noise barrier is evaluated if the Preliminary Screening results indicate that a full analysis is warranted or if the impacted SLU is adjacent to other impacted SLUs or residences.
- Once it is determined that impacted SLUs are benefited from the analyzed noise barrier, the FDOT SLU Worksheet is utilized to assess whether a noise barrier is a reasonable and feasible form of abatement. The SLU Worksheet (and therefore cost reasonable calculation) includes all residences and SLUs that would receive a benefit from the noise barrier. This methodology allows the combined evaluation of land use NAC-B, A, C, D, and E for a single noise barrier system that would potentially benefit all land use types evaluated.

3.0 Traffic Noise Analysis and Abatement Evaluation

3.1 Model Validation

Existing noise levels are measured in the project corridor to confirm if traffic is the primary noise source. These field measurements are also required to verify the accuracy of the TNM before it can be used to predict noise levels. A series of three 10-minute measurements were taken on February 9, 2024, using an Extech Instruments Model 407780 Type 2 Integrating Sound Level Meter. The sound level meter, calibrated at 114.0 dB(A) with an Extech Instruments Model 407766 calibrator, was adjusted to the A-weighted frequency scale, which approximates the frequency sensitivity of the human ear. Traffic data, including vehicle volumes, speeds by type, and meteorological conditions, were recorded during each measurement session. The data collection effort also recorded the travel speed for each type of vehicle using a Bushnell Speedster handheld radar gun.

One location within the study corridor was selected to undergo a series of three 10-minute measurements. The validation site, illustrated on page **D-27** in **Appendix D**, was selected for measurement because it presented a clear view of traffic conditions on I-75. Though some traffic slow-downs were evidenced in the NB direction, no unusual noise occurred during the three 10-minute monitoring sessions. During the monitoring sessions, the weather was 60° with 82% humidity under clear skies with mild east-southeast breezes ranging from 3 to 4 m.p.h.

Validation of TNM occurs when the model-predicted noise levels are within three decibels of the field-measured levels. **Table 3-1** shows that TNM predicted within the 3.0-decibel acceptance



range for each 10-minute session. Consequently, the model is validated and acceptable for predicting noise levels for this project.

Table 3-1 | TNM Validation Results Summary

Location	Validation Session	Field Measured (dB(A))	TNM Predicted (dB(A))	Variance (dB(A))
VS-1	Session 1	73.6	74.8	1.2
	Session 2	75.3	76.0	0.7
	Session 3	75.7	76.6	0.9

3.2 Noise Sensitive Receptors

Within the project limits, TNM receptor points representing residences are located in accordance with the FDOT PD&E Manual as follows:

- Residential receptor points are located at areas of frequent outdoor use or the corner of the residential building closest to the major traffic noise source.
- Where residences are clustered together, single receptor points are analyzed as representative of a group of residences with similar characteristics.
- Ground floor receptor points are assumed to be 5 feet above the ground elevation, and all receptors are assumed to be at ground level unless otherwise noted.
- Higher floor receptors are assumed to increase in elevation in 10-foot increments above the ground floor receptor.
- Nonresidential receptor points are located at the edge of the outdoor use area closest to the major traffic noise source.

Using **Table 2-1** as a guide, most noise sensitive land uses within the study corridor fall under NAC-B - Residential. The NAC-C land uses within the study corridor include religious facilities, equestrian complexes, the Don Garlits Museum of Drag Racing, the Alphabet Land Learning Center, and the Summer Glen golf course. The NAC-E land uses include several motels with on-site swimming pools, businesses with outdoor benches, and restaurants with outdoor tables.

The remainder of the corridor is NAC G undeveloped land. A permit search of those areas was conducted to identify any active building permits for noise sensitive land uses. As of February 2, 2024, no such permits were discovered adjacent to the corridor. If a future noise sensitive land use receives a building permit before the project's Date of Public Knowledge (the date FDOT approves the project's environmental document), they will be assessed for traffic noise impacts during the project's final design phase of development.

This project does not require analysis of interior noise levels (NAC-D) as all NAC-C locations have areas of exterior use. No land uses in the study corridor warrant an NAC-A analysis. While NAC-F land uses are in the project corridor, this is not considered a noise sensitive activity and is not included in the analysis.

3.3 Predicted Noise Levels and Abatement Analysis

Traffic noise levels were predicted at 309 noise sensitive sites representing 367 residences (NAC-B), 17 SLU NAC-C receptors, and 21 SLU NAC-E receptors. Due to the number of receptors, the analysis divided the study corridor into Noise Study Areas (NSA) based on geographical dividers such as roads or environmental areas. The reporting of project noise levels was further simplified by using receptors representing similar adjacent noise sensitive sites. The grouping within a representative receptor is referred to as a Common Noise Environment (CNE). There may be several CNEs within one NSA.

Receptor points are labeled according to the NSA within which they are located. NSAs are named as follows:

- The first two letters (i.e., SB, NB) describe on which side of the I-75 mainline the NSA is located (e.g., "NB" indicates the receptor is in an NSA on the northbound side of the mainline travel lanes).
- The number following the first two letters is a numeric sequencing number (e.g., NB2 is the 2nd NSA on the northbound side of the I-75 mainline).
- The final two characters are the individual receptor number and are separated from the first string of characters with a dash (e.g., NB2-07 is the 7th receptor in the 2nd NSA on the northbound side of the I-75 mainline).
- Where there are multi-family residential apartment complexes in the study corridor, the letter "a" represents ground-floor units, "b" represents 2nd-floor units, and "c" represents 3rd-floor units, etc. (e.g., NB2-07a).
- The letters "SLU" follow the NSA identifier for nonresidential receptors and before the numerical SLU number (e.g., NB2-SLU1 is the first nonresidential receptor in NSA NB2).

The 2019 existing condition, the 2040 No-Build Alternative, and the 2040 Build Alternative noise analysis results discussed in this section are also summarized in a predicted noise level comparison matrix provided in **Appendix B**. When discussing noise level increases, the general rule that applies to perception is:

- A 3 dB(A) increase is barely perceptible to most people.
- A 5 dB(A) increase is noticeable to most people.
- A 10 dB(A) increase is perceived as twice as loud and is considered a doubling of noise.



Overall, 81 noise receptors are currently affected by I-75 traffic noise. Under the No-Build Alternative, noise levels are predicted to meet or exceed the NAC for 153 noise receptors. By comparison, predicted noise levels for the Build Alternative meet or exceed the NAC at 198 noise receptors with an average 3.1 dB(A) increase in noise levels over the existing condition. The greatest increase, 4.8 dB(A), occurs in NSA SB3 at receptors SB3-01 and SB3-02. None of the project noise increases in the study corridor are considered substantial (defined as 15 dB(A) or higher).

3.3.1 Noise Study Area NB1

NSA NB1, shown on page **D1** in the project aerials **Appendix D**, is located east of I-75 and spans from the project's southern limits to S.R. 44. Noise sensitive land uses in this NSA consists of one SLU NAC-E land use, the M&M Smokehouse BBQ restaurant identified in this report as NB1-SLU1. One receptor point representing the outdoor tables was evaluated for traffic noise impacts.

The average noise level is 67.4 dB(A), and predicted noise levels with the No-Build Alternative are 69.9 dB(A). Neither of these noise levels meets or exceeds the FDOT 71.0 dB(A) NAC-E. Similarly, the Build Alternative's predicted noise level of 70.9 dB(A) does not meet or exceed the NAC; therefore, this receptor is not impacted by traffic noise with construction of the Build Alternative, and noise abatement consideration is not warranted. The predicted noise levels are shown in **Appendix B**.

3.3.2 Noise Study Areas NB2 and NB3

NSA NB2, shown on pages **D1 through D3** in the project aerials **Appendix D**, is located east of I-75 and spans from S.R. 44 to C.R. 462. NSA NB3 continues north from C.R. 462 to C.R. 475 and is illustrated on pages **D3 through D7** in **Appendix D**. Noise sensitive land uses in these two NSAs consist of NAC-B and NAC-C land uses in the community of Royal and the surrounding area. Eighteen NAC-B receptor points were evaluated for traffic noise impacts, representing 19 residences, identified as NB2-01 through NB2-08 and NB3-01 through NB3-09. The Ebenezer AME Church (NB3-SLU1), a NAC-C land use, was also evaluated.

In NSA NB2, the average noise level is currently 62.6 dB(A), with one residence exceeding the FDOT 66.0 dB(A) NAC-B. Predicted noise levels with the No-Build Alternative average 65.0 dB(A), with two residences meeting or exceeding the NAC. The Build Alternative's average predicted noise level is 66.6 dB(A), with four of the eight analyzed residences meeting or exceeding the NAC.

In NSA NB3, the average noise level is currently 61.6 dB(A), with one residence exceeding the NAC. Predicted noise levels with the No-Build Alternative average 63.9 dB(A), with the same residence meeting or exceeding the NAC. The Build Alternative's average predicted noise level is



65.5 dB(A), with three of the ten analyzed residences meeting or exceeding the NAC. The Ebenezer AME Church is not predicted to have a project noise level that meets or exceeds the FDOT 66.0 dB(A) NAC-C. As a result of the traffic noise analysis, four NSA NB2 residential receptors and three NSA NB3 residential receptors require abatement consideration. The predicted noise levels are shown in **Appendix B**.

Because impacted receptor NB2-02 is considered an isolated impact where a potential noise barrier cannot achieve the minimum acoustic feasibility requirement of 5.0 dB(A) reduction at two impacted sites, a noise barrier was not evaluated for this impact, as outlined in the Feasibility Factors discussed in **Section 2.4.4.1**.

3.3.2.1 Noise Barrier NB-A1 Evaluation

Noise barrier NB-A1 was evaluated approximately 10 feet inside the I-75 NB ROW to reduce traffic noise for six of the seven impacted residences within NSAs NB2 and NB3. The C.R. 462 overpass limits the ability to construct a continuous noise barrier; therefore, two segments were analyzed as a barrier system. As summarized in **Table 3-2**, the NB-A1 barrier system meets all FDOT acoustic requirements at heights above 18 feet but fails to meet the cost reasonable criterion due to the low number of benefited receptors compared to the required barrier dimensions. Lowering the barrier segment heights to 18 feet no longer achieves the Noise Reduction Design Goal (NRDG) of 7.0 dB(A) at a minimum of one benefited receptor. Reducing the barrier segment lengths reduces the effectiveness of the barrier system, resulting in fewer benefits while still exceeding the cost criterion. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for the four impacted residences in NSA NB2 and the three impacted residences in NSA NB3. **Appendix C** illustrates Barrier NB-A1 Evaluation Option 2 on pages **C1 and C2**.



Table 3-2 | Noise Barrier NB-A1 Evaluation (NSAs NB2 & NB3)

Evaluation Option <i>* Illustrated in Appendix C</i>	Barrier Location	Barrier Height (feet)	Barrier Length (feet)	No. of Residential Impacts	Noise Reduction at Impacted Residences			Number of Benefited Residences				Impacted Res. Not Benefited ⁴	Total Estimated Cost ⁵	Cost per Benefited Residence	Warrants Further Consideration In Final Design?
					5-5.9 dB(A)	6-6.9 dB(A)	≥ 7.0 dB(A) ¹	Impacted ²	Not Impacted ³	Total	Avg. Reduction dB(A)				
1	ROW ⁷	22	1,878	6	2	3	1	6	7	13	6.0	0	\$3,404,940	\$261,918	No ⁶
	ROW ⁷	22	3,281												
2 *	ROW ⁷	20	1,578	6	3	2	1	6	5	11	5.8	0	\$2,915,400	\$265,036	No ⁶
	ROW ⁷	20	3,281												
3	ROW ⁷	20	1,578	6	3	1	1	5	5	10	5.6	1	\$2,557,200	\$255,720	No ⁶
	ROW ⁷	20	2,684												
4	ROW ⁷	18	1,578	6	3	1	0	4	4	8	5.4	2	\$2,408,400	\$301,050	No ^{1,6}
	ROW ⁷	18	2,882												

¹ FDOT Noise Reduction Design Goal is 7.0 dB(A) at a minimum of 1 benefited receptor. Analysis ends if goal is not achieved.

² Benefited residences with predicted noise levels that approach or exceed the NAC.

³ Benefited residences with predicted noise levels that do not approach the NAC.

⁴ Impacted residences that do not receive a minimum 5 dB(A) reduction from analyzed noise barrier.

⁵ Unit cost of \$30/ft².

⁶ FDOT Reasonable Cost Guideline is \$42,000 per benefited residence.

⁷ ROW – Right-of-way noise barrier constructed on I-75. Maximum-allowed height is 22 feet.



3.3.3 Noise Study Area NB4

NSA NB4, shown on pages **D7 through D13** in the project aerials **Appendix D**, is located east of I-75 and spans from C.R. 475 to the I-75 NB Weigh Station. Noise sensitive land uses in this NSA consist of NAC-B and SLU NAC-C land uses. Twenty-six NAC-B receptor points, identified as NB4-01 through NB4-26, representing 27 residences, were evaluated for traffic noise impacts. The stables and paddock area of Kickstart Farm, NB4-SLU1, was also included in the evaluation.

Currently, the average noise level is 63.7 dB(A), with seven residences meeting or exceeding the NAC. Predicted noise levels with the No-Build Alternative average 66.1 dB(A), with ten residential receptors meeting or exceeding the NAC. The Build Alternative's average predicted noise level is 67.4 dB(A), with 13 of the 27 analyzed residences meeting or exceeding the NAC. The Kickstart Farm receptor is not predicted to have a project noise level that meets or exceeds the NAC-C. As a result of the traffic noise analysis, noise abatement consideration for these impacts is required. The predicted noise levels are shown in **Appendix B**.

3.3.3.1 Noise Barrier NB-A2 Evaluation

Two noise barriers were evaluated as an abatement measure for NSA NB4. The first barrier, noise barrier NB-A2, was evaluated approximately 10 feet inside the NB I-75 ROW to reduce traffic noise for four impacted residences, NB4-02 through NB4-05, in the southern section of NSA NB4. As summarized in **Table 3-3**, Barrier NB-A2 meets all FDOT acoustic requirements but fails to meet the cost reasonable criterion due to the low number of benefited receptors compared to the required barrier dimensions. Reducing the barrier's height and length reduces the effectiveness of the barrier, resulting in fewer benefits while still exceeding the cost criterion. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for these four impacted residences in NSA NB4. **Appendix C** illustrates Barrier NB-A2 Evaluation Option 1 on page **C4**.

3.3.3.2 Noise Barrier NB-A3 Evaluation

The second barrier analyzed for NSA NB4, noise barrier NB-A3, was evaluated approximately 10 feet inside the NB I-75 ROW to reduce traffic noise for nine impacted residences, NB4-10 through NB4-23 in the northern section of NSA NB4. As summarized in **Table 3-4**, Barrier NB-A3 meets all FDOT acoustic requirements at heights 10 feet and higher but fails to meet the cost reasonable criterion due to the low number of benefited receptors compared to the required barrier dimensions. Reducing the barrier's height to 10 feet and below reduces the effectiveness of the barrier, resulting in fewer benefits while still exceeding the cost criterion. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for these nine impacted residences in NSA NB4. **Appendix C** illustrates Barrier NB-A3 Evaluation Option 5 on pages **C5 and C6**.



Table 3-3 | Noise Barrier NB-A2 Evaluation (NSA NB4 -South)

Evaluation Option * Illustrated in Appendix C	Barrier Location	Barrier Height (feet)	Barrier Length (feet)	No. of Residential Impacts	Noise Reduction at Impacted Residences			Number of Benefited Residences				Impacted Res. Not Benefited ⁴	Total Estimated Cost ⁵	Cost per Benefited Residence	Warrants Further Consideration In Final Design?
					5-5.9 dB(A)	6-6.9 dB(A)	≥ 7.0 dB(A) ¹	Impacted ²	Not Impacted ³	Total	Avg. Reduction dB(A)				
1*	ROW ⁷	22	2,794	4	1	1	2	4	3	7	6.8	0	\$1,844,040	\$263,434	No ⁶
2	ROW ⁷	22	2,595	4	1	1	2	4	2	6	6.9	0	\$1,712,700	\$285,450	No ⁶
3	ROW ⁷	20	2,995	4	1	1	2	4	2	6	7.0	0	\$1,797,000	\$299,500	No ⁶
4	ROW ⁷	18	2,599	4	1	0	2	3	0	3	7.5	1	\$1,403,460	\$467,820	No ⁶

¹ FDOT Noise Reduction Design Goal is 7.0 dB(A) at a minimum of 1 benefited receptor. Analysis ends if goal is not achieved.

² Benefited residences with predicted noise levels that approach or exceed the NAC.

³ Benefited residences with predicted noise levels that do not approach the NAC.

⁴ Impacted residences that do not receive a minimum 5 dB(A) reduction from analyzed noise barrier.

⁵ Unit cost of \$30/ft².

⁶ FDOT Reasonable Cost Guideline is \$42,000 per benefited residence.

⁷ ROW – Right-of-way noise barrier constructed on I-75. Maximum-allowed height is 22 feet.



Table 3-4 | Noise Barrier NB-A3 Evaluation (NSA NB4 - North)

Evaluation Option <i>* Illustrated in Appendix C</i>	Barrier Location	Barrier Height (feet)	Barrier Length (feet)	No. of Residential Impacts	Noise Reduction at Impacted Residences			Number of Benefited Residences				Impacted Res. Not Benefited ⁴	Total Estimated Cost ⁵	Cost per Benefited Residence	Warrants Further Consideration In Final Design?
					5-5.9 dB(A)	6-6.9 dB(A)	≥ 7.0 dB(A) ¹	Impacted ²	Not Impacted ³	Total	Avg. Reduction dB(A)				
1	ROW ⁷	22	5,701	9	1	1	7	9	8	17	7.8	0	\$3,762,660	\$221,333	No ⁶
2	ROW ⁷	20	5,701	9	1	1	7	9	8	17	7.4	0	\$3,420,600	\$201,212	No ⁶
3	ROW ⁷	18	5,401	9	0	4	5	9	7	16	7.1	0	\$2,916,540	\$182,284	No ⁶
4	ROW ⁷	16	5,200	9	1	3	5	9	5	14	6.8	0	\$2,496,000	\$178,286	No ⁶
5*	ROW ⁷	14	5,200	9	3	4	2	9	4	13	6.3	0	\$2,184,000	\$168,000	No ⁶
6	ROW ⁷	10	4,401	9	2	0	2	4	0	4	6.9	5	\$1,320,300	\$330,075	No ⁶

¹ FDOT Noise Reduction Design Goal is 7.0 dB(A) at a minimum of 1 benefited receptor. Analysis ends if goal is not achieved.

² Benefited residences with predicted noise levels that approach or exceed the NAC.

³ Benefited residences with predicted noise levels that do not approach the NAC.

⁴ Impacted residences that do not receive a minimum 5 dB(A) reduction from analyzed noise barrier.

⁵ Unit cost of \$30/ft².

⁶ FDOT Reasonable Cost Guideline is \$42,000 per benefited residence.

⁷ ROW – Right-of-way noise barrier constructed on I-75. Maximum-allowed height is 22 feet.



3.3.4 Noise Study Area NB5

NSA NB5, shown on pages **D13 through D16** in the project aerials **Appendix D**, is located east of I-75 and spans from the I-75 NB Weigh Station to C.R. 484. Noise sensitive land uses in this NSA consist of NAC-B, NAC-C, and NAC-E land uses. Nineteen NAC-B receptor points, identified as NB5-01 through NB5-19, representing 19 residences, were evaluated for traffic noise impacts. The two SLU-C land uses are the Shree Swaminarayan Temple front entrance patio (NB5-SLU1) and the Don Garlits Museum of Drag Racing outdoor tables (NB5-SLU2). The two SLU-E land uses are the Sleep Inn pool (NB5-SLU3) and the outdoor tables at Tom’s Cuban restaurant (NB5-SLU4).

Currently, the average noise level is 63.6 dB(A), with three residences and one SLU-C receptor meeting or exceeding the NAC. Predicted noise levels with the No-Build Alternative average 65.9 dB(A), with seven residential receptors and one SLU-C receptor meeting or exceeding the NAC. The Build Alternative’s average predicted noise level is 67.2 dB(A), with 10 of the 19 analyzed residences meeting or exceeding the NAC. The two SLU-C receptors are also predicted to have project noise levels that meet or exceed the NAC. As a result of the traffic noise analysis, noise abatement consideration for these impacts is required. The predicted noise levels are shown in **Appendix B**.

Because impacted receptor NB5-01 is considered an isolated impact, a noise barrier was not evaluated for this impact, as outlined in the Feasibility Factors discussed in **Section 2.4.4.1**.

3.3.4.1 Noise Barrier NB-A4 Evaluation

Noise barrier NB-A4 was evaluated approximately 10 feet inside the NB I-75 ROW to reduce traffic noise for nine impacted residences. As summarized in **Table 3-5**, Barrier NB-A4 meets all FDOT acoustic requirements but fails to meet the cost criterion due to the low number of benefited receptors compared to the required barrier dimensions. Reducing the barrier’s height reduces the effectiveness of the barrier, resulting in fewer benefits while still exceeding the cost criterion. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for these nine impacted residences in NSA NB4. **Appendix C** illustrates Barrier NB-A5 Evaluation Option 4 on pages **C7 and C8**.

The impacted Shree Swaminarayan Temple (NB5-SLU1) benefited from the analyzed residential barrier NB-A4, but the residential barrier was not found to be cost reasonable. Using the FDOT SLU methodology discussed in **Section 2.4.5**, the FDOT SLU Worksheet was used to assess whether combining Activity Categories B and C land uses for a single noise barrier system would potentially benefit all land use types evaluated and meet the cost criterion.



Table 3-5 | Noise Barrier NB-A4 Evaluation (NSA NB5)

Evaluation Option <i>* Illustrated in Appendix C</i>	Barrier Location	Barrier Height (feet)	Barrier Length (feet)	No. of Residential Impacts	Noise Reduction at Impacted Residences			Number of Benefited Residences				Impacted Res. Not Benefited ⁴	Total Estimated Cost ⁵	Cost per Benefited Residence	Warrants Further Consideration In Final Design?
					5-5.9 dB(A)	6-6.9 dB(A)	≥ 7.0 dB(A) ¹	Impacted ²	Not Impacted ³	Total	Avg. Reduction dB(A)				
1	ROW ⁷	22	6,061	9	0	1	8	9	6	15	7.8	0	\$4,000,260	\$266,684	No ⁶
2	ROW ⁷	20	5,076	9	2	0	7	9	3	12	7.4	0	\$3,045,600	\$253,800	No ⁶
3	ROW ⁷	18	5,176	9	2	2	5	9	3	12	7.0	0	\$2,795,040	\$232,920	No ⁶
4*	ROW ⁷	16	5,373	9	2	3	4	9	3	12	6.6	0	\$2,579,040	\$214,920	No ⁶
5	ROW ⁷	14	5,172	9	4	2	2	8	2	10	5.9	1	\$2,172,240	\$217,224	No ⁶

¹ FDOT Noise Reduction Design Goal is 7.0 dB(A) at a minimum of 1 benefited receptor. Analysis ends if goal is not achieved.

² Benefited residences with predicted noise levels that approach or exceed the NAC.

³ Benefited residences with predicted noise levels that do not approach the NAC.

⁴ Impacted residences that do not receive a minimum 5 dB(A) reduction from analyzed noise barrier.

⁵ Unit cost of \$30/ft².

⁶ FDOT Reasonable Cost Guideline is \$42,000 per benefited residence.

⁷ ROW – Right-of-way noise barrier constructed on I-75. Maximum-allowed height is 22 feet.



Usage data for the Temple patio is unavailable, so a conservative estimate was used of 150 daily users who would spend up to one hour on the patio, based on the size of the patio and the event industry standard of 6 sf per person. **Table 3-6** shows that the calculated Equivalent Residential Value (ERV) for NB5-SLU1 is 2.38 (rounded to 2.4).

Table 3-6 | Noise Barrier NB-A4 Receptor NB5-SLU1 Residential Equivalent Evaluation

SLU NAME		Shree Swaminarayan Temple (NB5-SLU1)					
SLU DESCRIPTION		Front Entrance Stair and Patio					
NAC		C					
SLU Equivalent Residential Value (ERV) IDENTIFICATION							
Step	Sub-Step	Description					Value
Average Single-Family Residence in Florida - Person Hours per Year							
A1	a	Average number of people in a single-family residence in Florida					2.62
	b	Hours a single-family residence is available for use (24 hours x 365 days)					8,760
	c	Residential Person-Hours per Year Available for Use					22,951
SLU Person Hours per Year							
A2	a	Average number of users per day <i>in the area evaluated</i> at the SLU					150
	b	Approximate daily hourly usage by each person <i>in the area evaluated</i> at the SLU					1
	c	Number of days per week the SLU is operational					7
	d	Number of weeks per year the SLU is operational					52
	e	Person-Hours per Year Available for Use at the SLU					54,600
SLU Area Evaluated Equivalent Residential Value (ERV)							
A3	a	Equivalent Residential Value (ERV)					2.38
	b	Identify the number of receptors evaluated at the SLU					1
	c	Individual Receptor Equivalent Residential Value					2.379
Barrier Evaluation for SLU #1							
Barrier ID	Barrier Location	Barrier Height	Barrier Length	Number of Benefited Receptors at SLU #1	Number of Impacted and Benefited Receptors at SLU #1	SLU BERV	SLU Impacted BERV
NB-A4	ROW	16	5,373	1	1	2.4	2.4
	Shoulder	-	-				
	Structure	-	-				
Note: Grey cells have embedded formulas. White cells are SLU-specific data.							

When the 2.4 SLU Barrier Equivalent Residential Value (BERV) is combined with the adjacent NSA NB5 benefited residences, Barrier NB-A4 remains not cost reasonable as summarized in **Table 3-7**. An additional 2,991 person-hours (47 BERV) are needed for the barrier to meet the cost criterion. This is not plausible, given the size of the patio. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for impacted SLU receptor NB5-SLU1.



Table 3-7 | Noise Barrier NB-A4 Combined Residential and SLU Evaluation (NSA NB5)

SLU Name(s)		Shree Swaminarayan Temple (NB5-SLU1)											
SLU Description(s)		Front Entrance Stair and Patio											
					Residences		ALL SLUs						
Barrier ID	Barrier Location	Barrier Height	Barrier Length ¹	Barrier Total Cost ²	Benefited Residences	Impacted and Benefited Residences	Total SLU BERV	Total BERV (Residences and SLUs)	Total Impacted BERV (Residences and SLUs) ³	Average Reduction dB(A)	Maximum Reduction dB(A) ⁴	Cost per Benefited Equivalent Residence	Cost Reasonable?
NB-A4	ROW	16	5,373	\$ 2,579,040	12	9	2.4	14	13.0	6.6	9.2	\$ 179,362	NOT REASONABLE

¹ Barrier length refers to the total length at the ROW, Shoulder, or on Structure.
² Assumes \$30 per square foot.
³ If total Impacted BERV is less than 2, the noise barrier is not considered feasible.
⁴ Maximum Reduction refers to the maximum reduction at any receptor (residential or SLU) evaluated for the noise barrier. If 7 dB(A) or greater, the Noise Reduction Design Goal (NRDG) is met.

Predicted traffic noise also impacts the Don Garlits Museum of Drag Racing (NB5-SLU2). Since this SLU is not in proximity to another impacted SLU or residence, a single noise barrier cannot serve as an abatement measure for two or more impacted SLUs/residences and meet the FDOT feasibility requirement discussed in **Section 2.4.5**. Therefore, it is considered isolated.

The special land use Noise Barrier Screening was to determine if the museum’s covered patio with tables has enough person-hour usage to equate to at least two residences to be found feasible for noise abatement. To meet the feasibility requirement, the isolated SLU must have at least 45,026 person-hours of use per year (an ERV of 2.0) in the benefited area for a noise barrier to be found as a feasible form of noise abatement.

Current usage data for the 12 tables on the museum's covered patio was unavailable. However, a 2002 news interview listed the annual visitation rate of 50,000 for the entire museum. With the museum closed on Thanksgiving and Christmas, daily visitation equals an average of 138 visitors and an ERV of 1.114. This is below the 2.0 ERV needed to make an isolated SLU eligible for a noise barrier evaluation, as shown in **Table 3-8**. For a noise barrier evaluation to be warranted and for the SLU to achieve an ER of 2.0, 248 people would need to use the patio daily. That number equates to 31 people per hour/day and is unlikely considering the limited seating. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for impacted SLU receptor NB5-SLU2.

Table 3-8 | Receptor NB5-SLU2 Noise Abatement Preliminary Screening

NSA NB5: Don Garlits Museum of Racing covered patio (NB5-SLU2)	
Special Land Use Noise Barrier Screening	
Average Single-Family Residence in Florida - Person Hours per Year	
Average number of people in a single-family residence in Florida (US CENSUS, 2017-2021 data)	2.57
Hours a single-family residence is available for use (24 hours x 365 days)	8,760
Residential Person-Hours per Year Available for Use	22,513
Isolated SLU Person-Hours per Year	
Average number of users per day at the SLU	138
Approximate daily hourly usage by each person at the SLU	0.50
Number of Days per week the SLU is operational	7
Number of weeks per year the SLU is operational	52
Person-Hours per Year SLU is available for use	25,069
Equivalent Residential Value (ERV)	1.114
Isolated SLU Eligible for Noise Barrier Evaluation?	NOT ELIGIBLE
Note: Grey cells have embedded formulas. White cells are SLU-specific data.	



3.3.5 Noise Study Area NB6

NSA NB6, shown on pages **D16 through D17** in the project aerials **Appendix D**, is located east of I-75 and spans from C.R. 484 to the Marjorie Harris Carr Cross Field Greenway. Noise sensitive land uses in this NSA consist of two NAC-B residences, identified as NB6-01 and NB6-02, and the NAC-E receptor, Microtel Hotel pool (NB6-SLU1).

Currently, the average noise level is 63.7 dB(A), with no receptor meeting or exceeding the NAC. Predicted noise levels with the No-Build Alternative average 65.4 dB(A), with NB6-01 exceeding the NAC. The Build Alternative's average predicted noise level is 66.3 dB(A), with NB6-01 exceeding the NAC. As a result of the traffic noise analysis, noise abatement consideration for this impact is required. However, because impacted receptor NB6-01 is considered an isolated impact, a noise barrier was not evaluated for this impact, as outlined in the Feasibility Factors discussed in **Section 2.4.4.1**. No potentially feasible and reasonable methods are available to abate traffic-related noise for this impacted residence. The predicted noise levels are shown in **Appendix B**.

3.3.6 Noise Study Area NB7

NSA NB7, shown on pages **D17 through D23** in the project aerials **Appendix D**, is located east of I-75 and spans from the Marjorie Harris Carr Cross Field Greenway to the I-75 NB Rest Area. The only noise sensitive land use in this NSA is NAC-B. Forty NAC-B receptor points were evaluated for traffic noise impacts, identified as NB7-01 through NB7-40, representing 94 residences in the Oak Bend manufactured home development and surrounding area. The Oak Bend development has an existing 10-foot masonry wall along the property line with I-75. This wall was included in the TNM analysis.

Currently, the average noise level is 63.6 dB(A), with 14 residences meeting or exceeding the NAC. Predicted noise levels with the No-Build Alternative average 65.3 dB(A), with 42 residences meeting or exceeding the NAC. The Build Alternative's average predicted noise level is 66.4 dB(A), with 58 of the 94 analyzed residences meeting or exceeding the NAC. As a result of the traffic noise analysis, noise abatement consideration for these impacts is required. The predicted noise levels are shown in **Appendix B**.

3.3.6.1 Feasible and Reasonable Noise Barrier NB-1 Evaluation

Noise barrier NB1 was first evaluated approximately 10 feet inside the NB I-75 ROW to reduce traffic noise for the 58 impacted residences. With the 22-foot maximum allowed height, the ROW barrier evaluation meets all FDOT acoustic requirements but fails to meet the cost reasonableness criterion. As summarized in **Table 3-9**, reducing the height still exceeds the cost criterion. The evaluation shifted the noise barrier to the outside shoulder of NB I-75. Shoulder-mounted noise barriers are limited to a maximum height of 14 feet but may still provide effective noise abatement because it is closer to the noise source. The shoulder-mounted Barrier



NB-1 meets all FDOT requirements and is a potentially feasible and reasonable method to abate traffic-related noise for 53 residences (33 impacted and 20 non-impacted) in NSA NB7. Seventeen impacted residences are not benefited due to their distance from the barrier.

Appendix C illustrates Barrier NB1 Evaluation Option 4 on pages **C10 and C11**. The barrier warrants further consideration in the project's Final Design phase. The final design evaluation may change this potential noise barrier's length, height, or viability.



Table 3-9 | Noise Barrier NB1 Evaluation (NSA NB7)

Evaluation Option <i>* Illustrated in Appendix C</i>	Barrier Location	Barrier Height (feet)	Barrier Length (feet)	No. of Residential Impacts	Noise Reduction at Impacted Residences			Number of Benefited Residences				Impacted Res. Not Benefited ⁴	Total Estimated Cost ⁵	Cost per Benefited Residence	Warrants Further Consideration In Final Design?
					5-5.9 dB(A)	6-6.9 dB(A)	≥ 7.0 dB(A) ¹	Impacted ²	Not Impacted ³	Total	Avg. Reduction dB(A)				
1	ROW ⁷	22	5,701	50	22	9	12	43	16	59	6.7	7	\$3,762,660	\$63,774	No ⁶
2	ROW ⁷	20	4,901	50	26	6	9	41	12	53	6.2	9	\$2,940,600	\$55,483	No ⁶
3	ROW ⁷	18	3,501	50	7	5	5	17	0	17	6.2	33	\$1,890,540	\$111,208	No ⁶
4*	SH ⁸	14	5,112	50	15	8	10	33	20	53	6.6	17	\$2,147,040	\$40,510	Yes
5	SH ⁸	14	5,533	50	15	8	10	33	21	54	6.6	17	\$2,323,860	\$43,034	No ⁶

¹ FDOT Noise Reduction Design Goal is 7.0 dB(A) at a minimum of 1 benefited receptor. Analysis ends if goal is not achieved.

² Benefited residences with predicted noise levels that approach or exceed the NAC.

³ Benefited residences with predicted noise levels that do not approach the NAC.

⁴ Impacted residences that do not receive a minimum 5 dB(A) reduction from analyzed noise barrier.

⁵ Unit cost of \$30/ft².

⁶ FDOT Reasonable Cost Guideline is \$42,000 per benefited residence.

⁷ ROW – Right-of-way noise barrier constructed on I-75. Maximum-allowed height is 22 feet.

⁸ SH - Noise barrier constructed at the outside shoulder of I-75. Maximum-allowed height is 14 feet. Any required tapers in height at a shoulder noise barrier termination would be in addition to the length indicated.



3.3.7 Noise Study Area NB8

NSA NB8, shown on pages **D23 through D25** in the project aerials **Appendix D**, is located east of I-75 and spans from the I-75 NB Rest Area to the SW 66th Street overpass. The only noise sensitive land use in this NSA is residential NAC-B. Eight NAC-B receptor points, identified as NB8-01 through NB8-08, representing 14 residences, were evaluated for traffic noise impacts.

Currently, the average noise level is 65.0 dB(A), with three residences meeting or exceeding the NAC. The No-Build and Build Alternative analyses include FDOT's planned 9-foot tall perimeter wall, which will be constructed along a portion of the NB Rest Area ROW. Predicted noise levels with the No-Build Alternative average 66.0 dB(A), with four receptors meeting or exceeding the NAC. The Build Alternative's average predicted noise level is 67.3 dB(A), with four of the 14 analyzed residences meeting or exceeding the NAC. As a result of the traffic noise analysis, noise abatement consideration for these impacts is required. However, because receptor NB8-08 is considered an isolated impact, a noise barrier was not evaluated for this receptor, as outlined in the Feasibility Factors discussed in **Section 2.4.4.1**. The predicted noise levels are shown in **Appendix B**.

3.3.7.1 Noise Barrier NB-A5 Evaluation

Noise barrier NB-A5 was evaluated approximately 10 feet inside the NB I-75 ROW to reduce traffic noise for three impacted residences. As summarized in **Table 3-10**, Barrier NB-A4 meets all FDOT acoustic requirements but fails to meet the cost reasonable criterion due to the low number of benefited receptors compared to the required barrier dimensions. Reducing the barrier's height reduces the effectiveness of the barrier, resulting in fewer benefits while still exceeding the cost criterion. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for these four impacted residences in NSA NB8. Barrier NB-A5 Evaluation Option 3 is illustrated on page **C14** in **Appendix C**.



Table 3-10 | Noise Barrier NB-A5 Evaluation (NSA NB8)

Evaluation Option * Illustrated in Appendix C	Barrier Location	Barrier Height (feet)	Barrier Length (feet)	No. of Residential Impacts	Noise Reduction at Impacted Residences			Number of Benefited Residences				Impacted Res. Not Benefited ⁴	Total Estimated Cost ⁵	Cost per Benefited Residence	Warrants Further Consideration In Final Design?
					5-5.9 dB(A)	6-6.9 dB(A)	≥ 7.0 dB(A) ¹	Impacted ²	Not Impacted ³	Total	Avg. Reduction dB(A)				
1*	ROW ⁷	22	1,539	3	0	1	2	3	1	4	7.9	0	\$1,015,740	\$253,935	No ⁶
2	ROW ⁷	20	1,739	3	0	1	2	3	1	4	7.6	0	\$1,043,400	\$260,850	No ⁶
3	ROW ⁷	16	1,338	3	2	0	1	3	0	3	6.8	0	\$642,240	\$214,080	No ⁶
4	ROW ⁷	14	1,939	3	1	0	1	2	0	2	6.7	1	\$814,380	\$407,190	No ⁶

¹ FDOT Noise Reduction Design Goal is 7.0 dB(A) at a minimum of 1 benefited receptor. Analysis ends if goal is not achieved.

² Benefited residences with predicted noise levels that approach or exceed the NAC.

³ Benefited residences with predicted noise levels that do not approach the NAC.

⁴ Impacted residences that do not receive a minimum 5 dB(A) reduction from analyzed noise barrier.

⁵ Unit cost of \$30/ft².

⁶ FDOT Reasonable Cost Guideline is \$42,000 per benefited residence.

⁷ ROW – Right-of-way noise barrier constructed on I-75. Maximum-allowed height is 22 feet.



3.3.8 Noise Study Area NB9

NSA NB9, shown on pages **D25 through D27** in the project aerials **Appendix D**, is located east of I-75 and spans from the SW 66th Street overpass to SW 43rd Street Road. Noise sensitive land uses in this NSA consist of NAC-B and SLU NAC-C land uses. Seven NAC-B receptor points, identified as NB9-01 through NB9-07, representing eight residences, were evaluated for traffic noise impacts. The two SLU-C land uses are equestrian complexes (NB9-SLU1 and SLU2).

Currently, the average noise level is 64.8 dB(A), with one residence and both SLU receptors meeting or exceeding the NAC. Predicted noise levels with the No-Build Alternative average 66.4 dB(A), with three residential and both SLU receptors meeting or exceeding the NAC. The Build Alternative's average predicted noise level is 68.0 dB(A), with five of the eight analyzed residences and both SLUs meeting or exceeding the NAC. As a result of the traffic noise analysis, noise abatement consideration for these impacts is required. The predicted noise levels are shown in **Appendix B**.

3.3.8.1 Noise Barrier NB-A6 Evaluation

Noise barrier NB-A6 was evaluated approximately 10 feet inside the NB I-75 ROW to reduce traffic noise for the five impacted residences. As summarized in **Table 3-11**, Barrier NB-A6 meets all FDOT acoustic requirements but fails to meet the cost reasonable criterion due to the low number of benefited receptors compared to the required barrier dimensions. Lowering the barrier height to 18 feet no longer achieves the 7.0 dB(A) NRDG. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for these five impacted residences in NSA NB9. **Appendix C** illustrates Barrier NB-A6 Evaluation Option 2 on page **C16**.



Table 3-11 | Noise Barrier NB-A6 Evaluation (NSA NB9)

Evaluation Option <i>* Illustrated in Appendix C</i>	Barrier Location	Barrier Height (feet)	Barrier Length (feet)	No. of Residential Impacts	Noise Reduction at Impacted Residences			Number of Benefited Residences				Impacted Res. Not Benefited ⁴	Total Estimated Cost ⁵	Cost per Benefited Residence	Warrants Further Consideration In Final Design?
					5-5.9 dB(A)	6-6.9 dB(A)	≥ 7.0 dB(A) ¹	Impacted ²	Not Impacted ³	Total	Avg. Reduction dB(A)				
1	ROW ⁷	22	3,599	5	4	0	1	5	1	6	6.6	0	\$2,375,340	\$395,890	No ⁶
2*	ROW ⁷	20	3,800	5	4	0	1	5	1	6	6.3	0	\$2,280,000	\$380,000	No ⁶
3	ROW ⁷	18	4,400	5	4	1	0	5	0	5	6.0	0	\$2,376,000	\$475,200	No ^{1,6}

¹ FDOT Noise Reduction Design Goal is 7.0 dB(A) at a minimum of 1 benefited receptor. Analysis ends if goal is not achieved.

² Benefited residences with predicted noise levels that approach or exceed the NAC.

³ Benefited residences with predicted noise levels that do not approach the NAC.

⁴ Impacted residences that do not receive a minimum 5 dB(A) reduction from analyzed noise barrier.

⁵ Unit cost of \$30/ft².

⁶ FDOT Reasonable Cost Guideline is \$42,000 per benefited residence.

⁷ ROW – Right-of-way noise barrier constructed on I-75. Maximum-allowed height is 22 feet.



The two impacted equestrian complexes (NB9-SLU1 and SLU2) are benefited from the analyzed residential barrier NB-A6, but the residential barrier was not found to be cost reasonable. Using the FDOT SLU methodology discussed in **Section 2.4.5**, the FDOT SLU Worksheet was used to assess whether combining Activity Categories B and C land uses for a single noise barrier system would potentially benefit all evaluated land use types and meet the cost criterion.

Usage data for the equestrian complexes is unavailable, so a conservative estimate was used of 40 daily users who would spend up to four hours at each facility. **Table 3-12** and **Table 3-13** show that the calculated ERV for each SLU is 2.54.

Table 3-12 | Noise Barrier NB-A6 Receptor NB9-SLU1 Residential Equivalent Evaluation

SLU NAME		Equestrian Complex (NB9-SLU1)					
SLU DESCRIPTION		Paddock/Stable Area					
NAC		C					
SLU Equivalent Residential Value (ERV) IDENTIFICATION							
Step	Sub-Step	Description					Value
Average Single-Family Residence in Florida - Person Hours per Year							
A1	a	Average number of people in a single-family residence in Florida					2.62
	b	Hours a single-family residence is available for use (24 hours x 365 days)					8,760
	c	Residential Person-Hours per Year Available for Use					22,951
SLU Person Hours per Year							
A2	a	Average number of users per day <i>in the area evaluated</i> at the SLU					40
	b	Approximate daily hourly usage by each person <i>in the area evaluated</i> at the SLU					4
	c	Number of days per week the SLU is operational					7
	d	Number of weeks per year the SLU is operational					52
	e	Person-Hours per Year Available for Use at the SLU					58,240
SLU Area Evaluated Equivalent Residential Value (ERV)							
A3	a	Equivalent Residential Value (ERV)					2.54
	b	Identify the number of receptors evaluated at the SLU					1
	c	Individual Receptor Equivalent Residential Value					2.538
SLU Weighted Residential Vote Value							
A4	a	Number of votes Assigned to SLU in Barrier Voting Process (if applicable)					3
Barrier Evaluation for SLU #1							
Barrier ID	Barrier Location	Barrier Height	Barrier Length	Number of Benefited Receptors at SLU #1	Number of Impacted and Benefited Receptors at SLU #1	SLU BERV	SLU Impacted BERV
NB-A6	ROW	20	3,800	1	1	2.5	2.5
	Shoulder	-	-				
	Structure	-	-				
Note: Grey cells have embedded formulas. White cells are SLU-specific data.							



Table 3-13 | Noise Barrier NB-A6 Receptor NB9-SLU2 Residential Equivalent Evaluation

SLU NAME		Equestrian Complex (NB9-SLU2)					
SLU DESCRIPTION		Paddock/Stable Area					
NAC		C					
SLU Equivalent Residential Value (ERV) IDENTIFICATION							
Step	Sub-Step	Description					Value
Average Single-Family Residence in Florida - Person Hours per Year							
A1	a	Average number of people in a single-family residence in Florida					2.62
	b	Hours a single-family residence is available for use (24 hours x 365 days)					8,760
	c	Residential Person-Hours per Year Available for Use					22,951
SLU Person Hours per Year							
A2	a	Average number of users per day <i>in the area evaluated</i> at the SLU					40
	b	Approximate daily hourly usage by each person <i>in the area evaluated</i> at the SLU					4
	c	Number of days per week the SLU is operational					7
	d	Number of weeks per year the SLU is operational					52
	e	Person-Hours per Year Available for Use at the SLU					58,240
SLU Area Evaluated Equivalent Residential Value (ERV)							
A3	a	Equivalent Residential Value (ERV)					2.54
	b	Identify the number of receptors evaluated at the SLU					1
	c	Individual Receptor Equivalent Residential Value					2.538
SLU Weighted Residential Vote Value							
A4	a	Number of votes Assigned to SLU in Barrier Voting Process (if applicable)					3
Barrier Evaluation for SLU #2							
Barrier ID	Barrier Location	Barrier Height	Barrier Length	Number of Benefited Receptors at SLU #1	Number of Impacted and Benefited Receptors at SLU #1	SLU BERV	SLU Impacted BERV
NB-A6	ROW	20	3,800	1	1	2.5	2.5
	Shoulder	-	-				
	Structure	-	-				
Note: Grey cells have embedded formulas. White cells are SLU-specific data.							

When the SLU BERVs are combined with the adjacent NSA NB9 residential benefits, Barrier NB-A6 does not meet the cost criterion, as summarized in **Table 3-14**. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for the two impacted SLU receptors, NB9-SLU1 and NB9-SLU2.



Table 3-14 | Noise Barrier NB-A6 Combined Residential and SLU Evaluation (NSA NB9)

SLU Name(s)		Equestrian Complexes - NB9-SLU1 and NB9-SLU2											
SLU Description(s)		Paddock and Stable Areas											
					Residences		ALL SLUs						
Barrier ID	Barrier Location	Barrier Height	Barrier Length ¹	Barrier Total Cost ²	Benefited Residences	Impacted and Benefited Residences	Total SLU BERV	Total BERV (Residences and SLUs)	Total Impacted BERV (Residences and SLUs) ³	Average Reduction dB(A)	Maximum Reduction dB(A) ⁴	Cost per Benefited Equivalent Residence	Cost Reasonable?
NB-A6	ROW	20	3,800	\$ 2,280,000	6	5	5.1	11	10.1	6.3	9.7	\$ 205,867	NOT REASONABLE
¹ Barrier length refers to the total length at the ROW, Shoulder, or on Structure. ² Assumes \$30 per square foot. ³ If total Impacted BERV is less than 2, the noise barrier is not considered feasible. ⁴ Maximum Reduction refers to the maximum reduction at any receptor (residential or SLU) evaluated for the noise barrier. If 7 dB(A) or greater, the Noise Reduction Design Goal (NRDG) is met.													



3.3.9 Noise Study Area NB10

NSA NB10, shown on pages **D27 through D28** in the project aerials **Appendix D**, is located east of I-75 and spans from SW 43rd Street Road to S.R. 200. Noise sensitive land uses in this NSA consist of one NAC-B residence (NB10-01) and two SLU NAC-E land uses. The SLU-E land uses are the Hilton Hotel pool (NB10-SLU1) and the La Quinta Hotel pool (NB10-SLU2).

Currently, the average noise level at the analyzed receptors is 63.6 dB(A), with no receptor meeting or exceeding the NAC. Predicted noise levels with the No-Build Alternative average 65.2 dB(A), with residential receptor NB10-01 exceeding the NAC. The Build Alternative's average predicted noise level is 65.9 dB(A), with the residential receptor continuing to exceed the NAC. As a result of the traffic noise analysis, noise abatement consideration for these impacts is required. However, because impacted receptor NB10-01 is considered an isolated impact, a noise barrier was not evaluated for this receptor, as outlined in the Feasibility Factors discussed in **Section 2.4.4.1**. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for the one impacted residence in NSA NB10. The predicted noise levels are shown in **Appendix B**.

3.3.10 Noise Study Area NB11

NSA NB11, shown on page **D28** in the project aerials **Appendix D**, is located east of I-75 and spans from S.R. 200 to the project's northern terminus. There are no noise sensitive land uses in this NSA.

3.3.11 Noise Study Area SB1

NSA NB1, shown on page **D1** in the project aerials **Appendix D**, is located west of I-75 and spans from the project's southern limits to S.R. 44. Noise sensitive land uses in this NSA consists of one SLU NAC-E land use, the Days Inn Hotel (SB1-SLU1). One receptor point representing the pool area was evaluated for traffic noise impacts.

The average noise level is 62.7 dB(A), and predicted noise levels with the No-Build Alternative are 65.4 dB(A). Neither of these noise levels meets or exceeds the FDOT 71.0 dB(A) NAC-E. Similarly, the Build Alternative's predicted noise level of 67.3 dB(A) does not meet or exceed the NAC; therefore, this receptor is not impacted by traffic noise with construction of the Build Alternative, and noise abatement consideration is not warranted. The predicted noise levels are shown in **Appendix B**.

3.3.12 Noise Study Area SB2

NSA SB2, shown on pages **D1 through D3** in the project aerials **Appendix D**, is located west of I-75 and spans from S.R. 44 to C.R. 462. Noise sensitive land uses in this NSA consist solely of NAC-B land uses in the community of Royal. Two NAC-B receptor points were evaluated for traffic noise impacts, representing two residences, identified as SB2-01 and SB2-02.



The average noise level is currently 60.1 dB(A) and predicted noise levels with the No-Build Alternative average 62.4 dB(A). The Build Alternative's average predicted noise level is 63.7 dB(A). No sites meet or exceed the NAC for any analyzed scenario. Therefore, noise abatement is not warranted for NSA SB2. The predicted noise levels are shown in **Appendix B**.

3.3.13 Noise Study Area SB3

NSA SB3 continues north from C.R. 462 to C.R. 475 and is illustrated on pages **D3 through D7** in **Appendix D**. Noise sensitive land uses in this NSA consist of NAC-B land uses in the community of Royal and the surrounding area, and the NAC-C land use, Champagne Farms (SB3-SLU1). Seventeen NAC-B receptor points were evaluated for traffic noise impacts, representing 17 residences, identified as SB3-01 through SB3-17.

The average noise level is currently 63.9 dB(A), with three residences and the SLU exceeding the NAC. Predicted noise levels with the No-Build Alternative average 66.4 dB(A), with nine residences and the SLU meeting or exceeding the NAC. The Build Alternative's average predicted noise level is 68.0 dB(A), with 11 of the 17 analyzed residences and the SLU meeting or exceeding the NAC. As a result of the traffic noise analysis, noise abatement consideration for these impacts is required. Because impacted receptor SB3-17, located at the northern end of NSA SB3, is considered an isolated impact, a noise barrier was not evaluated for this impact, as outlined in the Feasibility Factors discussed in **Section 2.4.4.1**. The predicted noise levels are shown in **Appendix B**.

Because of the distance between impacted receptors, two noise barriers were evaluated for NSA SB3. The first barrier is for the southern section of the NSA. Noise barrier SB-A1 was evaluated approximately 10 feet inside the I-75 SB ROW to reduce traffic noise for six impacted residences SB3-01 through SB3-03 and SB3-06 through SB3-08. The C.R. 462 overpass limits the ability to construct a continuous noise barrier; therefore, two segments were analyzed as a barrier system.



3.3.13.1 Noise Barrier SB-A1 Evaluation

As summarized in **Table 3-15**, the SB-A1 barrier system meets all FDOT acoustic requirements at heights above 16 feet but fails to meet the cost reasonable criterion due to the low number of benefited receptors compared to the required barrier dimensions. Lowering the barrier segment heights to 16 feet no longer achieves the 7.0 dB(A) NRDG. Reducing the barrier segment lengths reduces the effectiveness of the barrier system, resulting in fewer benefits while still exceeding the cost criterion. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for the six impacted residences in the southern section of NSA SB3.

Appendix C illustrates Barrier SB-A1 Evaluation Option 2 on pages **C1 and C2**.

3.3.13.2 Noise Barrier SB-A2 Evaluation

The second barrier analyzed for NSA SB3, noise barrier NB-A2, was evaluated approximately 10 feet inside the SB I-75 ROW to reduce traffic noise for four impacted residences in the northern section of NSA SB3, SB3-11, and SB3-14 through SB3-16. As summarized in **Table 3-16**, Barrier SB-A2 meets all FDOT acoustic requirements but fails to meet the cost reasonable criterion due to the low number of benefited receptors compared to the required barrier dimensions.

Reducing the barrier's height to 12 feet reduces the effectiveness of the barrier, resulting in fewer benefits while still exceeding the cost criterion. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for these four impacted residences in the northern section of NSA SB3. **Appendix C** illustrates Barrier SB-A2 Evaluation Option 4 on page **C3**.

Table 3-15 | Noise Barrier SB-A1 Evaluation (NSA SB3- South)

Evaluation Option <i>* Illustrated in Appendix C</i>	Barrier Location	Barrier Height (feet)	Barrier Length (feet)	No. of Residential Impacts	Noise Reduction at Impacted Residences			Number of Benefited Residences				Impacted Res. Not Benefited ⁴	Total Estimated Cost ⁵	Cost per Benefited Residence	Warrants Further Consideration In Final Design?
					5-5.9 dB(A)	6-6.9 dB(A)	≥ 7.0 dB(A) ¹	Impacted ²	Not Impacted ³	Total	Avg. Reduction dB(A)				
1	ROW ⁷	22	905	6	1	2	3	6	2	8	6.5	0	\$2,398,440	\$299,805	No ⁶
	ROW ⁷	22	2,729												
2*	ROW ⁷	20	905	6	2	3	1	6	1	7	6.3	0	\$1,939,800	\$277,114	No ⁶
	ROW ⁷	20	2,328												
3	ROW ⁷	18	905	6	2	3	1	6	0	6	6.1	0	\$1,799,820	\$299,970	No ⁶
	ROW ⁷	18	2,428												
4	ROW ⁷	16	905	6	3	2	0	5	0	5	5.8	1	\$1,744,320	\$348,864	No ^{1,6}
	ROW ⁷	16	2,729												

¹ FDOT Noise Reduction Design Goal is 7.0 dB(A) at a minimum of 1 benefited receptor. Analysis ends if goal is not achieved.

² Benefited residences with predicted noise levels that approach or exceed the NAC.

³ Benefited residences with predicted noise levels that do not approach the NAC.

⁴ Impacted residences that do not receive a minimum 5 dB(A) reduction from analyzed noise barrier.

⁵ Unit cost of \$30/ft².

⁶ FDOT Reasonable Cost Guideline is \$42,000 per benefited residence.

⁷ ROW – Right-of-way noise barrier constructed on I-75. Maximum-allowed height is 22 feet.

Table 3-16 | Noise Barrier SB-A2 Evaluation (NSA SB3 - North)

Evaluation Option * Illustrated in Appendix C	Barrier Location	Barrier Height (feet)	Barrier Length (feet)	No. of Residential Impacts	Noise Reduction at Impacted Residences			Number of Benefited Residences				Impacted Res. Not Benefited ⁴	Total Estimated Cost ⁵	Cost per Benefited Residence	Warrants Further Consideration In Final Design?
					5-5.9 dB(A)	6-6.9 dB(A)	≥ 7.0 dB(A) ¹	Impacted ²	Not Impacted ³	Total	Avg. Reduction dB(A)				
1	ROW ⁷	22	2,231	4	1	0	3	4	1	5	7.5	0	\$1,472,460	\$294,492	No ⁶
2	ROW ⁷	20	2,231	4	1	0	3	4	0	4	7.7	0	\$1,338,600	\$334,650	No ⁶
3	ROW ⁷	18	2,020	4	2	0	2	4	0	4	7.0	0	\$1,090,800	\$272,700	No ⁶
4*	ROW ⁷	16	2,220	4	2	0	2	4	0	4	6.7	0	\$1,065,600	\$266,400	No ⁶
5	ROW ⁷	14	2,826	4	2	0	2	4	0	4	6.4	0	\$1,186,920	\$296,730	No ⁶
6	ROW ⁷	12	3,737	4	2	0	1	3	0	3	6.0	1	\$1,345,320	\$448,440	No ⁶

¹ FDOT Noise Reduction Design Goal is 7.0 dB(A) at a minimum of 1 benefited receptor. Analysis ends if goal is not achieved.

² Benefited residences with predicted noise levels that approach or exceed the NAC.

³ Benefited residences with predicted noise levels that do not approach the NAC.

⁴ Impacted residences that do not receive a minimum 5 dB(A) reduction from analyzed noise barrier.

⁵ Unit cost of \$30/ft².

⁶ FDOT Reasonable Cost Guideline is \$42,000 per benefited residence.

⁷ ROW – Right-of-way noise barrier constructed on I-75. Maximum-allowed height is 22 feet.

Predicted traffic noise in NSA SB3 also impacts the Champagne Farms Stables (SB3-SLU1). Since this SLU is not in proximity to another impacted SLU or residence, a single noise barrier cannot serve as an abatement measure for two or more impacted SLUs/residences and meet the FDOT feasibility requirement discussed in **Section 2.4.5**. Therefore, it is considered isolated.

The special land use Noise Barrier Screening was used to determine if the stable area has enough person-hour usage to equate to at least two residences to be found feasible for noise abatement. Usage data for the stables was unavailable. However, the screening, shown in **Table 3-17**, allows a determination of the number of people that would need to use the facility each day throughout the year for it to be eligible for a noise barrier evaluation. For a noise barrier evaluation to be warranted and for the SLU to achieve an ER of 2.0, 61 people would need to use the stables daily. That number is not plausible, considering the size of the stable area. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for impacted SLU receptor SB3-SLU1.

Table 3-17 | Receptor SB3-SLU1 Noise Abatement Preliminary Screening

NSA SB3: Champagne Farm Stables (SB3-SLU1) Special Land Use Noise Barrier Screening	
Average Single-Family Residence in Florida - Person Hours per Year	
Average number of people in a single-family residence in Florida (US CENSUS, 2017-2021 data)	2.57
Hours a single-family residence is available for use (24 hours x 365 days)	8,760
Residential Person-Hours per Year Available for Use	22,513
Isolated SLU Person-Hours per Year	
Average number of users per day at the SLU	61
Approximate daily hourly usage by each person at the SLU	2
Number of Days per week the SLU is operational	7
Number of weeks per year the SLU is operational	52
Person-Hours per Year SLU is available for use	44,408
Equivalent Residential Value (ERV)	1.97
Isolated SLU Eligible for Noise Barrier Evaluation?	NOT ELIGIBLE
<small>Note: Grey cells have embedded formulas. White cells are SLU-specific data.</small>	

3.3.14 Noise Study Area SB4

NSA SB4, shown on pages **D7 through D13** in the project aerials **Appendix D**, is located west of I-75 and spans from C.R. 475 to the I-75 SB Weigh Station. Noise sensitive land uses in this NSA consist of NAC-B residences. Nine receptor points, identified as SB4-01 through SB4-09, representing nine residences, were evaluated for traffic noise impacts.

Currently, the average noise level is 65.1 dB(A), with two residences meeting or exceeding the NAC. Predicted noise levels with the No-Build Alternative average 67.6 dB(A), with eight



residential receptors meeting or exceeding the NAC. The Build Alternative's average predicted noise level is 68.6 dB(A), with all nine analyzed residences meeting or exceeding the NAC. As a result of the traffic noise analysis, noise abatement consideration for these impacts is required. However, because impacted receptors SB4-01 and SB4-02 are each considered an isolated impact, a noise barrier was not evaluated for these receptors, as outlined in the Feasibility Factors discussed in **Section 2.4.4.1**. The predicted noise levels are shown in **Appendix B**.

3.3.14.1 Noise Barrier SB-A3 Evaluation

Noise barrier SB-A3 was evaluated approximately 10 feet inside the SB I-75 ROW to reduce traffic noise for seven impacted residences. As summarized in **Table 3-18**, Barrier SB-A3 meets all FDOT acoustic requirements but fails to meet the cost reasonable criterion due to the low number of benefited receptors compared to the required barrier dimensions. Lowering the barrier height to 16 feet no longer achieves the 7.0 dB(A) NRDG. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for these seven impacted residences in NSA SB4. **Appendix C** illustrates Barrier SB-A3 Evaluation Option 4 on pages **C5 and C6**.



Table 3-18 | Noise Barrier SB-A3 Evaluation (NSA SB4)

Evaluation Option * Illustrated in Appendix C	Barrier Location	Barrier Height (feet)	Barrier Length (feet)	No. of Residential Impacts	Noise Reduction at Impacted Residences			Number of Benefited Residences				Impacted Res. Not Benefited ⁴	Total Estimated Cost ⁵	Cost per Benefited Residence	Warrants Further Consideration In Final Design?
					5-5.9 dB(A)	6-6.9 dB(A)	≥ 7.0 dB(A) ¹	Impacted ²	Not Impacted ³	Total	Avg. Reduction dB(A)				
1	ROW ⁷	22	4,435	7	1	1	4	6	1	7	7.2	1	\$2,927,100	\$418,157	No ⁶
2	ROW ⁷	22	3,958	7	1	2	3	6	0	6	7.2	1	\$2,612,280	\$435,380	No ⁶
3	ROW ⁷	20	3,958	7	2	2	2	6	0	6	6.7	1	\$2,374,800	\$395,800	No ⁶
4*	ROW ⁷	18	4,161	7	2	3	1	6	0	6	6.2	1	\$2,246,940	\$374,490	No ⁶
5	ROW ⁷	16	4,741	7	2	3	0	5	0	5	6.0	2	\$2,275,680	\$455,136	No ^{1,6}

¹ FDOT Noise Reduction Design Goal is 7.0 dB(A) at a minimum of 1 benefited receptor. Analysis ends if goal is not achieved.

² Benefited residences with predicted noise levels that approach or exceed the NAC.

³ Benefited residences with predicted noise levels that do not approach the NAC.

⁴ Impacted residences that do not receive a minimum 5 dB(A) reduction from analyzed noise barrier.

⁵ Unit cost of \$30/ft².

⁶ FDOT Reasonable Cost Guideline is \$42,000 per benefited residence.

⁷ ROW – Right-of-way noise barrier constructed on I-75. Maximum-allowed height is 22 feet.



3.3.15 Noise Study Area SB5

NSA SB5, shown on pages **D13 through D16** in the project aerials **Appendix D**, is located west of I-75 and spans from the I-75 SB Weigh Station to C.R. 484. Noise sensitive land uses in this NSA consist of NAC-B, NAC-C, and NAC-E land uses. Twenty-four NAC-B receptor points, identified as SB5-01 through SB5-24, representing 43 residences, were evaluated for traffic noise impacts. All but three residences are located in the Summer Glen subdivision. The SLU-C land use represents four tee boxes and four holes at the Summer Glen golf course (receptors SB5-SLU1.1 through SB5-SLU1.8). The SLU-E land use is the Wendy's restaurant outdoor tables (SB5-SLU2).

The Summer Glen community has two earthen berms along its eastern property line and entrance ranging from 6 feet to 18 feet. The berms were included in the TNM. Currently, the average noise level is 58.6 dB(A), with no receptor meeting or exceeding the NAC. Predicted noise levels with the No-Build Alternative average 61.0 dB(A), with one tee box (SB5-SLU1.8) exceeding the NAC-C. The Build Alternative's average predicted noise level is 61.8 dB(A), with the same tee box meeting or exceeding the NAC. The SLU-E receptor, SB5-SLU2, is also predicted to have project noise levels exceeding NAC-E. As a result of the traffic noise analysis, noise abatement consideration for these impacts is required. The predicted noise levels are shown in **Appendix B**.

Since the impacted SLUs are not in proximity to another impacted SLU or residence, a single noise barrier cannot serve as an abatement measure for two or more impacted SLUs/residences and meet the FDOT feasibility requirement discussed in **Section 2.4.5**. Therefore, each SLU is considered isolated.

The special land use Noise Barrier Screening was to determine if the 13th tee box (SB5-SLU1.8) has enough person-hour usage to equate to at least two residences to be found feasible for noise abatement. Usage data for the golf course was unavailable; however, the standard golf statistics can be used. It was assumed that the daily maximum number of golfers using the #13 tee box is 136, based on 34 tee times and a maximum grouping of 4 golfers. It takes an average of 4 hours to play 18 holes (13 minutes per hole). The 13th hole is a 3 par, equating to about 3.25 minutes at the tee box. **Table 3-19** shows that the SLU does not have enough person-hour usage to equate to at least two residences and warrant a noise barrier evaluation. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for impacted SLU receptor SB5-SLU1.8.

Table 3-19 | Receptor SB5-SLU1.8 Noise Abatement Preliminary Screening

NSA SB5: Summer Glen Golf Club (SB5-SLU1.8) Special Land Use Noise Barrier Screening	
Average Single-Family Residence in Florida - Person Hours per Year	
Average number of people in a single-family residence in Florida (US CENSUS, 2017-2021 data)	2.57
Hours a single-family residence is available for use (24 hours x 365 days)	8,760
Residential Person-Hours per Year Available for Use	22,513
Isolated SLU Person-Hours per Year	
Average number of users per day at the SLU	136
Approximate daily hourly usage by each person at the SLU	0.054166667
Number of Days per week the SLU is operational	7
Number of weeks per year the SLU is operational	52
Person-Hours per Year SLU is available for use	2,681
Equivalent Residential Value (ERV)	0.12
Isolated SLU Eligible for Noise Barrier Evaluation?	NOT ELIGIBLE
Note: Grey cells have embedded formulas. White cells are SLU-specific data.	

The special land use Preliminary Screening was also used for impacted SLU E receptor SB5-SLU2. Usage data for the outdoor tables was unavailable; however, as shown in **Table 3-20**, for a noise barrier evaluation to be warranted and for the SLU to achieve an ER of 2.0, 248 people would need to use the three tables daily. That number is not plausible, considering that the maximum number of diners using the tables at one time is 12 people. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for impacted SLU receptor SB5-SLU2.

Table 3-20 | Receptor SB5-SLU2 Noise Abatement Preliminary Screening

NSA SB5: Wendy's Outside Dining Tables (SB5-SLU2) Special Land Use Noise Barrier Screening	
Average Single-Family Residence in Florida - Person Hours per Year	
Average number of people in a single-family residence in Florida (US CENSUS, 2017-2021 data)	2.57
Hours a single-family residence is available for use (24 hours x 365 days)	8,760
Residential Person-Hours per Year Available for Use	22,513
Isolated SLU Person-Hours per Year	
Average number of users per day at the SLU	247
Approximate daily hourly usage by each person at the SLU	0.50
Number of Days per week the SLU is operational	7
Number of weeks per year the SLU is operational	52
Person-Hours per Year SLU is available for use	44,954
Equivalent Residential Value (ERV)	2.00
Isolated SLU Eligible for Noise Barrier Evaluation?	NOT ELIGIBLE
Note: Grey cells have embedded formulas. White cells are SLU-specific data.	



3.3.16 Noise Study Area SB6

NSA SB6, shown on pages **D16 through D17** in the project aerials **Appendix D**, is located west of I-75 and spans from C.R. 484 to the Marjorie Harris Carr Cross Field Greenway. Noise sensitive land uses in this NSA consist of one NAC-C land use, the Alphabet Land Learning Center playground, identified as SB6-SLU2, and one NAC-E receptor, the Hampton Inn Hotel pool (SB6-SLU1).

Currently, the average noise level is 67.8 dB(A), with the playground (SB6-SLU2) exceeding the NAC-C. Predicted noise levels with the No-Build Alternative average 69.5 dB(A), with the playground exceeding the NAC. The Build Alternative's average predicted noise level is 70.4 dB(A), and both SLUs meet or exceed their respective NAC. As a result of the traffic noise analysis, noise abatement consideration for these impacts is required. The predicted noise levels are shown in **Appendix B**.

3.3.16.1 Noise Barrier SB-A4 Evaluation

Noise barrier SB-A4 was evaluated approximately 10 feet inside the SB I-75 ROW to reduce traffic noise for the two impacted SLUs. The noise barrier dimensions were optimized to provide effective noise abatement for both SLUs and the required 7.0 dB(A) NRDG for at least one. With a length of 1,953 feet and height of 20 feet, Barrier SB-A6 meets all FDOT acoustic requirements. Using the FDOT SLU methodology discussed in **Section 2.4.5**, the FDOT SLU Worksheet was used to assess whether combining Activity Categories C and E land uses for a single noise barrier system would meet the cost reasonable criterion.

Usage data for both SLUs is unavailable, so conservative estimates were made. For the Hampton Inn pool (SB6-SLU1), it was assumed that people would stay in the pool area for an hour. Given the approximate 1,000 sf size of the pool, a maximum of 67 people would use the area at one time (based on the industry standard of 15 sf of bathing capacity per person). If the pool is open 10 hours per day, 670 people could use it daily, and the BERV equates to 10.63, as shown in **Table 3-21**.



Table 3-21 | Noise Barrier SB-A4 Receptor SB6-SLU1 Residential Equivalent Evaluation

SLU NAME		Hampton Inn (SB6-SLU1)					
SLU DESCRIPTION		Pool					
NAC		E					
SLU Equivalent Residential Value (ERV) IDENTIFICATION							
Step	Sub-Step	Description					Value
Average Single-Family Residence in Florida - Person Hours per Year							
A1	a	Average number of people in a single-family residence in Florida					2.62
	b	Hours a single-family residence is available for use (24 hours x 365 days)					8,760
	c	Residential Person-Hours per Year Available for Use					22,951
SLU Person Hours per Year							
A2	a	Average number of users per day <i>in the area evaluated</i> at the SLU					670
	b	Approximate daily hourly usage by each person <i>in the area evaluated</i> at the SLU					1
	c	Number of days per week the SLU is operational					7
	d	Number of weeks per year the SLU is operational					52
	e	Person-Hours per Year Available for Use at the SLU					243,880
SLU Area Evaluated Equivalent Residential Value (ERV)							
A3	a	Equivalent Residential Value (ERV)					10.63
	b	Identify the number of receptors evaluated at the SLU					1
	c	Individual Receptor Equivalent Residential Value					10.626
SLU Weighted Residential Vote Value							
A4	a	Number of votes Assigned to SLU in Barrier Voting Process (if applicable)					11
Barrier Evaluation for SLU #1							
Barrier ID	Barrier Location	Barrier Height	Barrier Length	Number of Benefited Receptors at SLU #1	Number of Impacted and Benefited Receptors at SLU #1	SLU BERV	SLU Impacted BERV
SB-A4	ROW	20	1,953	1	1	10.6	10.6
	Shoulder	-	-				
	Structure	-	-				
Note: Grey cells have embedded formulas. White cells are SLU-specific data.							

For the Alphabet Land Learning Center playground (SB6-SLU2), it was assumed that users would stay at the playground for an hour. The reported enrollment capacity of the facility is 134 students. Assuming there are six supervisory adults, that equates to 140 potential daily playground users. The school is not open on weekends but was assumed to operate 52 weeks/year. **Table 3-22** shows that the calculated BERV for the Learning Center’s playground is 1.59.



Table 3-22 | Noise Barrier SB-A4 Receptor SB6-SLU2 Residential Equivalent Evaluation

SLU NAME		Alphabet Land Learning Center (SB6-SLU2)					
SLU DESCRIPTION		Playground					
NAC		C					
SLU Equivalent Residential Value (ERV) IDENTIFICATION							
Step	Sub-Step	Description					Value
Average Single-Family Residence in Florida - Person Hours per Year							
A1	a	Average number of people in a single-family residence in Florida					2.62
	b	Hours a single-family residence is available for use (24 hours x 365 days)					8,760
	c	Residential Person-Hours per Year Available for Use					22,951
SLU Person Hours per Year							
A2	a	Average number of users per day <i>in the area evaluated</i> at the SLU					140
	b	Approximate daily hourly usage by each person <i>in the area evaluated</i> at the SLU					1
	c	Number of days per week the SLU is operational					5
	d	Number of weeks per year the SLU is operational					52
	e	Person-Hours per Year Available for Use at the SLU					36,400
SLU Area Evaluated Equivalent Residential Value (ERV)							
A3	a	Equivalent Residential Value (ERV)					1.59
	b	Identify the number of receptors evaluated at the SLU					1
	c	Individual Receptor Equivalent Residential Value					1.586
SLU Weighted Residential Vote Value							
A4	a	Number of votes Assigned to SLU in Barrier Voting Process (if applicable)					2
Barrier Evaluation for SLU #2							
Barrier ID	Barrier Location	Barrier Height	Barrier Length	Number of Benefited Receptors at SLU #2	Number of Impacted and Benefited Receptors at SLU #2	SLU BERV	SLU Impacted BERV
SB-A4	ROW	20	1,953	1	1	1.6	1.6
	Shoulder	-	-				
	Structure	-	-				
Note: Grey cells have embedded formulas. White cells are SLU-specific data.							

When the SLU BERVs are combined, Barrier SB-A4 does not meet the reasonable cost criterion, as summarized in **Table 3-23**. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for the two impacted SLU receptors, SB6-SLU1 and SB6-SLU2. Barrier SB-A4 is illustrated on page **C9** in **Appendix C**.



Noise Study Report

Table 3-23 | Noise Barrier SB-A4 Combined SLU Evaluation (NSA SB6)

SLU Name(s)		Hampton Inn (SB6-SLU1) and Alphabet Land Learning Center (SB6-SLU2)											
SLU Description(s)		Pool (SLU1) and Playground (SLU2)											
						Residences		ALL SLUs					
Barrier ID	Barrier Location	Barrier Height	Barrier Length ¹	Barrier Total Cost ²	Benefited Residences	Impacted and Benefited Residences	Total SLU BERV	Total BERV (Residences and SLUs)	Total Impacted BERV (Residences and SLUs) ³	Average Reduction dB(A)	Maximum Reduction dB(A) ⁴	Cost per Benefited Equivalent Residence	Cost Reasonable?
SB-A4	ROW	20	1,953	\$ 1,171,800	0	0	12.2	12	12.2	8.2	9.6	\$ 95,955	NOT REASONABLE

¹ Barrier length refers to the total length at the ROW, Shoulder, or on Structure.

² Assumes \$30 per square foot.

³ If total Impacted BERV is less than 2, the noise barrier is not considered feasible.

⁴ Maximum Reduction refers to the maximum reduction at any receptor (residential or SLU) evaluated for the noise barrier. If 7 dB(A) or greater, the Noise Reduction Design Goal (NRDG) is met.



3.3.17 Noise Study Area SB7

NSA SB7, shown on pages **D17 through D23** in the project aerials **Appendix D**, is located west of I-75 and spans from the Marjorie Harris Carr Cross Field Greenway to the I-75 SB Rest Area. The only noise sensitive land use in this NSA is residential. Sixty-one NAC-B receptor points, identified as SB7-01 through SB7-61, representing 61 residences, were evaluated for traffic noise impacts.

Currently, the average noise level is 64.6 dB(A), with 21 residences meeting or exceeding the NAC. Predicted noise levels with the No-Build Alternative average 66.3 dB(A), with 28 residences meeting or exceeding the NAC. The Build Alternative's average predicted noise level is 67.4 dB(A), with 37 of the 61 analyzed residences meeting or exceeding the NAC. As a result of the traffic noise analysis, noise abatement consideration for these impacts is required. The predicted noise levels are shown in **Appendix B**.

3.3.17.1 Noise Barrier SB-A5 Evaluation

Noise barrier SB-A5 was first evaluated approximately 10 feet inside the SB I-75 ROW to reduce traffic noise for the 61 impacted residences. At heights above 16 feet, the ROW barrier evaluation meets all FDOT acoustic requirements but fails to meet the cost reasonable criterion. As summarized in **Table 3-24**, reducing the height further reduces the number of benefited receptors and still exceeds the cost criterion.

Subsequently, the evaluation shifted the noise barrier to the outside shoulder of SB I-75. Shoulder-mounted noise barriers are limited to a maximum height of 14 feet, but the barrier may still provide effective noise abatement because it is closer to the noise source. The shoulder-mounted Barrier SB-A5 meets all FDOT acoustic requirements but fails to meet the cost criterion. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for these 37 impacted residences in NSA SB7. **Appendix C** illustrates barrier SB-A5 Evaluation Option 5 on pages **C12 through C13**.

Table 3-24 | Noise Barrier SB-A5 Evaluation (NSA SB7)

Evaluation Option <i>*Illustrated in Appendix C</i>	Barrier Location	Barrier Height (feet)	Barrier Length (feet)	No. of Residential Impacts	Noise Reduction at Impacted Residences			Number of Benefited Residences				Impacted Res. Not Benefited ⁴	Total Estimated Cost ⁵	Cost per Benefited Residence	Warrants Further Consideration In Final Design?
					5-5.9 dB(A)	6-6.9 dB(A)	≥ 7.0 dB(A) ¹	Impacted ²	Not Impacted ³	Total	Avg. Reduction dB(A)				
1	ROW ⁷	22	6,632	37	3	5	28	36	18	54	7.6	1	\$4,377,120	\$81,058	No ⁶
2	ROW ⁷	20	6,732	37	3	8	24	35	18	53	7.1	2	\$4,039,200	\$76,211	No ⁶
3	ROW ⁷	18	6,833	37	9	7	19	35	9	44	6.8	2	\$3,689,820	\$83,860	No ⁶
4	ROW ⁷	16	7,340	37	4	8	14	26	2	28	6.8	11	\$3,523,200	\$125,829	No ⁶
5*	SH ⁸	14	6,544	37	5	9	20	34	17	51	7.0	3	\$2,748,480	\$53,892	No ⁶

¹ FDOT Noise Reduction Design Goal is 7.0 dB(A) at a minimum of 1 benefited receptor. Analysis ends if goal is not achieved.

² Benefited residences with predicted noise levels that approach or exceed the NAC.

³ Benefited residences with predicted noise levels that do not approach the NAC.

⁴ Impacted residences that do not receive a minimum 5 dB(A) reduction from analyzed noise barrier.

⁵ Unit cost of \$30/ft².

⁶ FDOT Reasonable Cost Guideline is \$42,000 per benefited residence.

⁷ ROW – Right-of-way noise barrier constructed on I-75. Maximum-allowed height is 22 feet.

⁸ SH - Noise barrier constructed at the outside shoulder of I-75. Maximum-allowed height is 14 feet. Any required tapers in height at a shoulder noise barrier termination would be in addition to the length indicated.



3.3.18 Noise Study Area SB8

NSA SB8, shown on pages **D23 through D25** in the project aerials **Appendix D**, is located west of I-75 and spans from the I-75 SB Rest Area to the SW 66th Street overpass. Noise sensitive land uses in this NSA consist of NAC-B and SLU NAC-C land uses. Seventeen NAC-B receptor points, identified as SB8-01 through SB8-17, representing 24 residences, were evaluated for traffic noise impacts. The sole SLU-C land use is the Ocala Korean Baptist church front entrance (SB8-SLU1).

Currently, the average noise level is 65.4 dB(A), with eight residences meeting or exceeding the NAC. Predicted noise levels with the No-Build Alternative average 67.1 dB(A), with ten receptors meeting or exceeding the NAC. The Build Alternative's average predicted noise level is 68.5dB(A), with 11 of the 24 analyzed residences meeting or exceeding the NAC. Receptor SB8-SLU1 is also predicted to experience noise levels that exceed the NAC-C criteria. As a result of the traffic noise analysis, noise abatement consideration for these impacts is required. The predicted noise levels are shown in **Appendix B**.

3.3.18.1 Noise Barrier SB-A6 Evaluation

Noise barrier SB-A6 was evaluated approximately 10 feet inside the SB I-75 ROW to reduce traffic noise for 11 impacted residences. The analysis began by evaluating the noise barrier as a two-segment system to avoid barrier coverage of vacant land, reducing the cost. As summarized in **Table 3-25**, Barrier SB-A6 meets all FDOT acoustic requirements as a two-segment system with heights of 22 and 20 feet but fails to meet the cost reasonable criterion. Reducing the barrier segment heights to 18 feet reduces the effectiveness of the barrier, resulting in fewer benefits while still exceeding the cost criterion. When the barrier gap is closed (Evaluation Option 4), the noise reduction results for the residences are comparable to the two-segment options; however, the SLU now receives a benefit from the barrier. The cost of the residential noise barrier exceeds the criterion. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for these eleven impacted residences in NSA SB8. **Appendix C** illustrates Barrier SB-A6 Evaluation Option 1 on pages **C14 through C15**.



Table 3-25 | Noise Barrier NB-A5 Evaluation (NSA NB8)

Evaluation Option <i>*Illustrated in Appendix C</i>	Barrier Location	Barrier Height (feet)	Barrier Length (feet)	No. of Residential Impacts	Noise Reduction at Impacted Residences			Number of Benefited Residences				Impacted Res. Not Benefited ⁴	Total Estimated Cost ⁵	Cost per Benefited Residence	Warrants Further Consideration In Final Design?
					5-5.9 dB(A)	6-6.9 dB(A)	≥ 7.0 dB(A) ¹	Impacted ²	Not Impacted ³	Total	Avg. Reduction dB(A)				
1 *	ROW ⁷	22	4,108	11	2	3	6	11	1	12	7.1	0	\$3,305,280	\$275,440	No ⁶
	ROW ⁷	22	900												
2	ROW ⁷	20	4,109	11	5	1	4	10	0	10	6.4	1	\$2,765,400	\$276,540	No ⁶
	ROW ⁷	20	500												
3	ROW ⁷	18	3,208	11	3	2	1	6	0	6	6.2	5	\$2,056,320	\$342,720	No ⁶
	ROW ⁷	18	600												
4	ROW ⁷	20	6,010	11	3	2	5	10	0	10	6.7	1	\$3,606,000	\$360,600	No ⁶

¹ FDOT Noise Reduction Design Goal is 7.0 dB(A) at a minimum of 1 benefited receptor. Analysis ends if goal is not achieved.

² Benefited residences with predicted noise levels that approach or exceed the NAC.

³ Benefited residences with predicted noise levels that do not approach the NAC.

⁴ Impacted residences that do not receive a minimum 5 dB(A) reduction from analyzed noise barrier.

⁵ Unit cost of \$30/ft².

⁶ FDOT Reasonable Cost Guideline is \$42,000 per benefited residence.

⁷ ROW – Right-of-way noise barrier constructed on I-75. Maximum-allowed height is 22 feet.



The impacted church (SB8-SLU1) is benefited from the analyzed residential barrier SB-A8 under Evaluation Option 4 (refer to **Table 3-25**), but the residential barrier was not found to be cost reasonable. Using the FDOT SLU methodology discussed in **Section 2.4.5**, the FDOT SLU Worksheet was used to assess whether combining Activity Categories B and C land uses for a single noise barrier system would potentially benefit all evaluated land use types and be cost reasonable.

Usage data for the church is unavailable, so a conservative estimate was used of 100 daily users spending 30 minutes at the church entrance and bench daily. **Table 3-26** shows that the calculated BERV for the SLU is 0.79. When the SLU BERV is combined with the adjacent NSA SB98 residential benefits, Barrier SB-A6 remains not cost reasonable, as summarized in **Table 3-27**. An additional 4,774 person-hours (75 BERV) are needed for the barrier to meet the cost criterion. This is not plausible, given the size of the front entrance and two benches. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for the impacted SLU receptor, SB8-SLU1.

Table 3-26 | Noise Barrier SB-A6 Receptor SB8-SLU1 Residential Equivalent Evaluation

SLU NAME		Ocala Korean Baptist Church (SB8-SLU1)					
SLU DESCRIPTION		Front Entrance and Bench					
NAC		C					
SLU Equivalent Residential Value (ERV) IDENTIFICATION							
Step	Sub-Step	Description					Value
Average Single-Family Residence in Florida - Person Hours per Year							
A1	a	Average number of people in a single-family residence in Florida					2.62
	b	Hours a single-family residence is available for use (24 hours x 365 days)					8,760
	c	Residential Person-Hours per Year Available for Use					22,951
SLU Person Hours per Year							
A2	a	Average number of users per day <i>in the area evaluated</i> at the SLU					100
	b	Approximate daily hourly usage by each person <i>in the area evaluated</i> at the SLU					0.5
	c	Number of days per week the SLU is operational					7
	d	Number of weeks per year the SLU is operational					52
	e	Person-Hours per Year Available for Use at the SLU					18,200
SLU Area Evaluated Equivalent Residential Value (ERV)							
A3	a	Equivalent Residential Value (ERV)					0.79
	b	Identify the number of receptors evaluated at the SLU					1
	c	Individual Receptor Equivalent Residential Value					0.793
SLU Weighted Residential Vote Value							
A4	a	Number of votes Assigned to SLU in Barrier Voting Process (if applicable)					1
Barrier Evaluation for SLU #1							
Barrier ID	Barrier Location	Barrier Height	Barrier Length	Number of Benefited Receptors at SLU #1	Number of Impacted and Benefited Receptors at SLU #1	SLU BERV	SLU Impacted BERV
SB-A8	ROW	16	1,206	1	1	0.8	0.8
	Shoulder	-	-				
	Structure	-	-				
Note: Grey cells have embedded formulas. White cells are SLU-specific data.							



Noise Study Report

Table 3-27 | Noise Barrier SB-A6 Combined Residential and SLU Evaluation (NSA SB8)

SLU Name(s)		Ocala Korean Baptist Church (SB8-SLU1)											
SLU Description(s)		Front Entrance and Bench											
					Residences		ALL SLUs						
Barrier ID	Barrier Location	Barrier Height	Barrier Length ¹	Barrier Total Cost ²	Benefited Residences	Impacted and Benefited Residences	Total SLU BERV	Total BERV (Residences and SLUs)	Total Impacted BERV (Residences and SLUs) ³	Average Reduction dB(A)	Maximum Reduction dB(A) ⁴	Cost per Benefited Equivalent Residence	Cost Reasonable?
SB-A6	ROW	20	6,010	\$ 3,606,000	10	10	0.8	11	10.8	0.0	9.4	\$ 334,106	NOT REASONABLE

¹ Barrier length refers to the total length at the ROW, Shoulder, or on Structure.
² Assumes \$30 per square foot.
³ If total Impacted BERV is less than 2, the noise barrier is not considered feasible.
⁴ Maximum Reduction refers to the maximum reduction at any receptor (residential or SLU) evaluated for the noise barrier. If 7 dB(A) or greater, the Noise Reduction Design Goal (NRDG) is met.



3.3.19 Noise Study Area SB9

NSA SB9, shown on pages **D25 through D27** in the project aerials **Appendix D**, is located west of I-75 and spans from the SW 66th Street overpass to SW 43rd Street Road. There is one noise sensitive land use in this NSA. The NAC-E land use, a gazebo on the SPXFLOW complex (SB9-SLU1), was evaluated for traffic noise impacts.

Currently, the noise level at this receptor is 64.7 dB(A) and is predicted to be 66.0 dB(A) with the No-Build Alternative and 66.4 dB(A) with the Build Alternative. None of these noise levels meet or exceed the 71.0 dB(A) NAC-E. Therefore, this receptor is not impacted by traffic noise with construction of the Build Alternative, and noise abatement consideration is not warranted. The predicted noise levels are shown in **Appendix B**.

3.3.20 Noise Study Area SB10

NSA SB10, shown on pages **D27 through D28** in the project aerials **Appendix D**, is located west of I-75 and spans from SW 43rd Street Road to S.R. 200. Noise sensitive land uses in this NSA are all NAC-E sites. Five receptors were modeled to represent two benches in the shopping center parking lot (SB10-SLU1 and SLU1.1), the Gator Dockside outdoor tables (SB10-SLU2), the Fairfield Inn Hotel pool (SB10-SLU3), and the Steak and Shake outdoor tables (SB10-SLU4).

Currently, the average noise level is 69.4 dB(A), with the predicted No-Build Alternative average noise level of 70.8 dB(A). Three SLUs exceed the NAC: one of the shopping center benches (SB10-SLU1.1), the Fairfield Inn pool (SB10-SLU3), and the tables at Steak and Shake (SB10-SLU4). The Build Alternative's average predicted noise level is 71.5 dB(A), with the same three SLUs exceeding the NAC. As a result of the traffic noise analysis, noise abatement consideration for these impacts is required. The predicted noise levels are shown in **Appendix B**.

3.3.20.1 Noise Barrier SB-A7 Evaluation

Noise barrier SB-A7 was evaluated approximately 10 feet inside the SB I-75 ROW to reduce traffic noise for the three impacted SLUs. The noise barrier dimensions were optimized to provide effective noise abatement for the impacted SLUs and meet the required 7.0 dB(A) NRDG for at least one. With a length of 1,206 feet and height of 16 feet, Barrier SB-A7 meets all FDOT acoustic requirements but only provides effective noise abatement for two of the three impacted SLUs. The tables at Steak and Shake (SB10-SLU4) do not receive a benefit from the noise barrier due to traffic noise from S.R. 200. Consequently, noise abatement is not feasible or reasonable for this receptor.

Using the FDOT SLU methodology discussed in **Section 2.4.5**, the FDOT SLU Worksheet was used to assess whether combining the two benefited Activity Category E land uses for a single noise barrier system would be cost reasonable. Usage data for the SLUs is unavailable, so conservative estimates were made.

For the shopping center bench (SB10-SLU1.1), it was assumed that users would sit on the bench for 30 minutes. The bench seats two persons. Assuming it is consistently used throughout the daylight hours, a maximum of 24 people use the bench daily. Since the barrier analysis identified that the non-impacted bench, SB10-SLU1.2, would benefit from the noise barrier, the receptor was added to the ERV worksheet. **Table 3-28** shows that the calculated BERV for the shopping center benches is 0.4.

Table 3-28 | Noise Barrier SB-A7 Receptor SB10-SLU1.1 Residential Equivalent Evaluation

SLU NAME		Shopping Center (Impacted SB10-SLU1.1) (Not Impacted SB10-SLU1.2)					
SLU DESCRIPTION		Benches					
NAC		E					
SLU Equivalent Residential Value (ERV) IDENTIFICATION							
Step	Sub-Step	Description					Value
Average Single-Family Residence in Florida - Person Hours per Year							
A1	a	Average number of people in a single-family residence in Florida					2.62
	b	Hours a single-family residence is available for use (24 hours x 365 days)					8,760
	c	Residential Person-Hours per Year Available for Use					22,951
SLU Person Hours per Year							
A2	a	Average number of users per day in the area evaluated at the SLU					48
	b	Approximate daily hourly usage by each person in the area evaluated at the SLU					0.5
	c	Number of days per week the SLU is operational					7
	d	Number of weeks per year the SLU is operational					52
	e	Person-Hours per Year Available for Use at the SLU					8,736
SLU Area Evaluated Equivalent Residential Value (ERV)							
A3	a	Equivalent Residential Value (ERV)					0.38
	b	Identify the number of receptors evaluated at the SLU					2
	c	Individual Receptor Equivalent Residential Value					0.190
SLU Weighted Residential Vote Value							
A4	a	Number of votes Assigned to SLU in Barrier Voting Process (if applicable)					1
Barrier Evaluation for SLU #1							
Barrier ID	Barrier Location	Barrier Height	Barrier Length	Number of Benefited Receptors at SLU #1	Number of Impacted and Benefited Receptors at SLU #1	SLU BERV	SLU Impacted BERV
SB-A7	ROW	16	1,206	2	1	0.4	0.2
	Shoulder	-	-				
	Structure	-	-				
Note: Grey cells have embedded formulas. White cells are SLU-specific data.							

For the Fairfield Inn pool (SB10-SLU3), it was assumed that people would stay in the pool area for an hour. Given the approximate 1,000 sf size of the pool, a maximum of 67 people would use the area at one time (based on the industry standard of 15 sf of bathing capacity per person). If the pool is open 10 hours per day, 670 people could use it daily, and the BERV equates to 10.63, as shown in **Table 3-29**.



Table 3-29 | Noise Barrier SB-A7 Receptor SB10-SLU3 Residential Equivalent Evaluation

SLU NAME		Fairfield Inn (SB10-SLU3)					
SLU DESCRIPTION		Pool					
NAC		E					
SLU Equivalent Residential Value (ERV) IDENTIFICATION							
Step	Sub-Step	Description					Value
Average Single-Family Residence in Florida - Person Hours per Year							
A1	a	Average number of people in a single-family residence in Florida					2.62
	b	Hours a single-family residence is available for use (24 hours x 365 days)					8,760
	c	Residential Person-Hours per Year Available for Use					22,951
SLU Person Hours per Year							
A2	a	Average number of users per day <i>in the area evaluated</i> at the SLU					670
	b	Approximate daily hourly usage by each person <i>in the area evaluated</i> at the SLU					1
	c	Number of days per week the SLU is operational					7
	d	Number of weeks per year the SLU is operational					52
	e	Person-Hours per Year Available for Use at the SLU					243,880
SLU Area Evaluated Equivalent Residential Value (ERV)							
A3	a	Equivalent Residential Value (ERV)					10.63
	b	Identify the number of receptors evaluated at the SLU					1
	c	Individual Receptor Equivalent Residential Value					10.626
SLU Weighted Residential Vote Value							
A4	a	Number of votes Assigned to SLU in Barrier Voting Process (if applicable)					11
Barrier Evaluation for SLU #2							
Barrier ID	Barrier Location	Barrier Height	Barrier Length	Number of Benefited Receptors at SLU #2	Number of Impacted and Benefited Receptors at SLU #2	SLU BERV	SLU Impacted BERV
SB-A7	ROW	16	1,206	1	1	10.6	10.6
	Shoulder	-	-				
	Structure	-	-				
Note: Grey cells have embedded formulas. White cells are SLU-specific data.							

When the SLU BERVs are combined, Barrier SB-A7 is not cost reasonable, as summarized in **Table 3-30**. An additional 176.6 person-hours (2.8 BERV) are needed for the barrier to meet the cost criterion. This is not plausible, given the size of the pool area. Consequently, no potentially feasible and reasonable methods are available to abate traffic-related noise for the three impacted SLU receptors, SB10-SLU1.1, SB10-SLU3, and SB10-SLU4. Barrier SB-A7 is illustrated on page **C17** in **Appendix C**.



Table 3-30 | Noise Barrier SB-A4 Combined SLU Evaluation (NSA SB6)

SLU Name(s)		Shopping Center (SB10-SLU1.1); Fairfield Inn (SB10-SLU3)												
SLU Description(s)		Bench; Pool												
					Residences		ALL SLUs							
Barrier ID	Barrier Location	Barrier Height	Barrier Length ¹	Barrier Total Cost ²	Benefited Residences	Impacted and Benefited Residences	Total SLU BERV	Total BERV (Residences and SLUs)	Total Impacted BERV (Residences and SLUs) ³	Average Reduction dB(A)	Maximum Reduction dB(A) ⁴	Cost per Benefited Equivalent Residence	Cost Reasonable?	
SB-A7	ROW	16	1,206	\$ 578,880	0	0	11.0	11	10.8	6.6	9.4	\$ 52,594	NOT REASONABLE	

¹ Barrier length refers to the total length at the ROW, Shoulder, or on Structure.
² Assumes \$30 per square foot.
³ If total Impacted BERV is less than 2, the noise barrier is not considered feasible.
⁴ Maximum Reduction refers to the maximum reduction at any receptor (residential or SLU) evaluated for the noise barrier. If 7 dB(A) or greater, the Noise Reduction Design Goal (NRDG) is met.



3.3.21 Noise Study Area SB11

NSA SB11, shown on page **D28** in the project aerials **Appendix D**, is located west of I-75 and spans from S.R. 200 to the project's northern terminus. Noise sensitive land uses in this NSA are NAC-B and NAC-E sites. Nineteen NAC-B receptor points representing 34 units with patios in the 3-story Canterbury Apartments complex, identified as receptors NB11-01A through NB11-08B, were evaluated for traffic noise impacts. The seven NAC-E SLUs are listed below:

- Burger King tables (SB11-SLU1)
- Best Western pool (SB11-SLU2)
- Hampton Inn pool (SB11-SLU3)
- Residence Inn tennis court and pool (SB11-SLU4)
- Holiday Inn pool (SB11-SLU5)
- Holiday Inn Express pool (SB11-SLU6)
- Home 2 Suites pool (SB11-SLU7) – *Under construction*

Currently, the average noise level is 63.9 dB(A), with 9 apartments meeting or exceeding the NAC. Predicted noise levels with the No-Build Alternative average 65.6 dB(A), with 18 apartments and the Home 2 Suites pool meeting or exceeding their respective NAC. The Build Alternative's average predicted noise level is 66.4 dB(A), with 18 of the 34 analyzed apartments meeting or exceeding the NAC. The Home 2 Suites pool is the only SLU that meets or exceeds the NAC. As a result of the traffic noise analysis, noise abatement consideration for these impacts is required. The predicted noise levels are shown in **Appendix B**.

3.3.21.1 Feasible and Reasonable Noise Barrier SB-1 Evaluation

Noise barrier SB1 was evaluated approximately 10 feet inside the SB I-75 ROW to reduce traffic noise for the 18 impacted apartments. With the 22-foot maximum allowed height, the ROW barrier evaluation meets all FDOT acoustic requirements and the \$42,000 per benefited receptor cost reasonable criterion. **Table 3-9** summarizes that Barrier SB1 is a potentially feasible and reasonable method to abate traffic-related noise for 32 residences (18 impacted and 14 non-impacted) in NSA SB11.

The impacted SLU, SB11-SLU7, will receive a 9.9 dB(A) noise reduction benefit from the residential barrier; thus, no further noise barrier evaluation was conducted for this receptor.

Appendix C illustrates Barrier SB1 on page **C18**. The barrier warrants further consideration in the project's Final Design phase. The final design evaluation may change this potential noise barrier's length, height, or viability.



Table 3-31 | Noise Barrier SB1 Evaluation (NSA SB11)

Evaluation Option <i>*Illustrated in Appendix C</i>	Barrier Location	Barrier Height (feet)	Barrier Length (feet)	No. of Residential Impacts	Noise Reduction at Impacted Residences			Number of Benefited Residences				Impacted Res. Not Benefited ⁴	Total Estimated Cost ⁵	Cost per Benefited Residence	Warrants Further Consideration In Final Design?
					5-5.9 dB(A)	6-6.9 dB(A)	≥ 7.0 dB(A) ¹	Impacted ²	Not Impacted ³	Total	Avg. Reduction dB(A)				
1*	ROW ⁷	22	1,621	18	8	8	2	18	14	32	6.1	0	\$1,069,860	\$33,433	Yes

¹ FDOT Noise Reduction Design Goal is 7.0 dB(A) at a minimum of 1 benefited receptor. Analysis ends if goal is not achieved.

² Benefited residences with predicted noise levels that approach or exceed the NAC.

³ Benefited residences with predicted noise levels that do not approach the NAC.

⁴ Impacted residences that do not receive a minimum 5 dB(A) reduction from analyzed noise barrier.

⁵ Unit cost of \$30/ft².

⁶ FDOT Reasonable Cost Guideline is \$42,000 per benefited residence.

⁷ ROW – Right-of-way noise barrier constructed on I-75. Maximum-allowed height is 22 feet.



4.0 Conclusions

Noise levels at 185 residences and 13 special-use sites are predicted to approach or exceed the NAC for the design year 2040 Build Alternative. Except for seven residential and five special land use receptors determined to be isolated, noise barriers were considered for all impacted sites identified in the noise modeling. The PD&E noise analysis indicates that two noise barriers could potentially provide reasonable and feasible noise abatement for 51 of the 68 impacted residences in NSAs NB7 and SB11 and provide a benefit to 34 non-impacted residences.

Eleven noise barriers were evaluated to reduce traffic noise for 101 impacted residential receptors. The barriers meet FDOT acoustic criteria but could not meet the cost reasonableness criterion of \$42,000 per benefited receptor. Based on the analyses performed to date, there appear to be no feasible and reasonable solutions available to mitigate the noise impacts for these 101 residential receptors.

Five special-use barrier analyses determined that noise abatement was not cost reasonable for the impacted sites.

4.1 Statement of Likelihood

The FDOT is committed to the construction of feasible and reasonable noise abatement measures. Three potentially feasible and reasonable barriers have been identified for this project (see **Table 4-1** for more detail on the noise barriers and their locations in the maps in **Appendix C**), contingent upon the following conditions:

- Final recommendations on the construction of abatement measures are determined during the project's final design and through the public involvement process and
- Detailed noise analyses during the final design process support the need, feasibility, and reasonableness of providing abatement and
- Cost analysis indicates that the cost of the noise barrier(s) will not exceed the cost reasonable criterion and
- Community input supporting types, heights, and locations of the noise barrier(s) is provided to FDOT and
- Safety and engineering aspects have been reviewed, and any conflicts or issues resolved.

The date that FDOT approves the project's environmental document will be the Date of Public Knowledge. During the design phase, a land use review will be performed to identify all noise sensitive sites that may have received a building permit between the time the PD&E noise study is finalized and prior to the project's Date of Public Knowledge. If the review identifies noise sensitive sites that have been permitted prior to the Date of Public Knowledge, then those noise sensitive sites will be evaluated for traffic noise impacts and abatement considerations.



Table 4-1 | Potentially Feasible and Reasonable Noise Barrier Evaluation Summary

Noise Study Area	Barrier ID	Number of Impacted Residences	Approximate Noise Barrier Stationing		Preliminary Noise Barrier Height (ft) ¹	Preliminary Noise Barrier Length (ft) ¹	Preliminary Noise Barrier Location	Total Noise Barrier System Cost ²	Number of Residences Potentially Benefited by a Noise Barrier ³		Total Noise Barrier System Cost Per Benefited Residence ³
			Begin Station	End Station					Impacted	Total	
NOISE BARRIERS ON NORTHBOUND SIDE OF I-75											
NSA NB7	NB1	50	1807+20	1858+80	14	5,112	SH ⁵	\$2,147,040	33	53	\$40,510
NOISE BARRIERS ON SOUTHBOUND SIDE OF I-75											
NSA SB11	SB1	18	2166+87	2183+00	22	1,621	ROW ⁴	\$1,069,860	18	32	\$33,433

¹ Full height is for length indicated.

² Unit cost of \$30/ft² for all noise barriers.

³ Total includes impacted/benefited residences and residences with a predicted noise level that does not approach or exceed the NAC but are incidentally benefited.

⁴ ROW - Noise barrier constructed at the I-75 Right of Way with 10-foot offset unless otherwise noted.

⁵ SH - Noise barrier constructed at the shoulder of the roadway. Any required tapers in height at a shoulder noise barrier termination would be in addition to the length indicated.



5.0 Construction Noise and Vibration

Based on the existing land use within the limits of this project, the construction of the proposed roadway improvements will have temporary noise and vibration impacts. Construction noise sensitive sites include all sites detailed in **Section 3.0** of this report. Vibration-sensitive sites on the project include residences and medical offices. Trucks, compaction equipment, earth-moving equipment, pumps, and generators are sources of construction noise and vibration. During the construction phase of the proposed project, short-term noise and vibration may be generated by stationary and mobile construction equipment. The construction noise and vibration will be temporary at any location and controlled by adherence to the most recent edition of the *FDOT Standard Specifications for Road and Bridge Construction*.

6.0 Public Coordination

Coordination with the public and local agencies and officials will be accomplished during the PD&E study. Local and community officials will be offered the opportunity to comment on the proposed project at the planned public meetings.

6.1 Noise Impact Contours

To promote compatibility between land development planning and I-75, the distance between the edge of the outside travel lane and the point where the roadway-related noise is predicted to reach the NAC for each activity category was estimated. These estimates are referred to as noise contours and are shown in **Figures 6-1 and 6-2**. These estimates provide the general distance at which the traffic noise meets or exceeds the FDOT NAC for each activity type. These contours represent the approximate distance from the nearest edge of pavement to the limits of the area predicted to meet or exceed the NAC in the 2040 Design Year. These contours do not consider any shielding of noise provided by structures or vegetation between the receptor site and the proposed travel lanes.




Figure 6-1 | Project Noise Contours South of S.R. 44




Figure 6-2 | Project Noise Contours from S.R. 44 to North of S.R. 200



7.0 References

1. 23 CFR Part 772, Procedures for Abatement of Highway Traffic Noise and Construction Noise Federal Register, Vol. 75, No. 133, July 2010.
2. *Project Development and Environment Manual*; FDOT. July 1, 2023.
3. Section 335.17, *Florida Statutes. State Highway Construction; Means Of Noise Abatement*. 2012.
4. *Highway Traffic Noise: Analysis and Abatement Guidance, FHWA-HEP-10-025*; FHWA. December 2011.
5. *Traffic Noise Modeling and Analysis Practitioners Handbook*; FDOT. January 2016.
6. *Methodology to Evaluate Highway Traffic Noise at Special Land Uses*; FDOT. December 2023.
7. *Noise Measurement Handbook*; FHWA. June 2018.
8. *Standard Specifications for Road and Bridge Construction*; FDOT. 2023.



Appendix A Project Noise Traffic Data



**Noise Analysis Traffic Data - I-75 Master Plan/PD&E (South Section)
2019 Existing Weekday Conditions**

Freeway Mainline													
I-75 Mainline Segments	Number of Lanes	Two-Way AADT	Two-Way LOS C AADT	PM Peak Hour Peak Direction	LOS C Peak Hour Peak Direction	Design Hr. % T	Design Hr. % MT	Design Hr. % HT	Design Hr. % Buses	Design Hr. % Motorcycles	Standard K-factor	PM D-factor	Posted Speed (mph)
I-75													
South of SR 44	6	89,000	69,000	2,623	3,990	10.30%	1.91%	7.98%	0.19%	0.09%	9.0%	55.5%	70
Between SR 44 and SW 484	6	81,000	99,000	3,024	4,900	10.30%	1.91%	7.98%	0.19%	0.09%	9.0%	55.5%	70
Between SW 484 and SR 200	6	97,000	99,000	3,598	4,900	10.30%	1.91%	7.98%	0.19%	0.09%	9.0%	55.5%	70
North of SR 200	6	97,500	99,000	3,648	4,900	10.30%	1.91%	7.98%	0.19%	0.09%	9.0%	55.5%	70
I-75 Ramps													
I-75 Ramps	Number of Lanes	One-Way AADT	One-Way LOS C AADT	PM Peak Hour Peak Direction	Peak Hour Peak Direction	Design Hr. % T	PM Design Hr. % MT	PM Design Hr. % HT	PM Design Hr. % Buses	PM Design Hr. % Motorcycles	K-factor	PM D-factor	Operational Speed (mph)
I-75 at SR 44													
Northbound off	1	6,900	*	462	*	9.70%	3.50%	6.20%	0.63%	4.29%	9.0%	100.0%	50
Southbound on	1	7,100	*	523	*	14.90%	6.03%	8.88%	1.69%	2.45%	9.0%	100.0%	45
Northbound on	2	5,900	*	422	*	13.10%	3.66%	9.37%	1.14%	2.96%	9.0%	100.0%	45
Southbound off	2	6,600	*	401	*	11.20%	2.43%	8.81%	0.38%	0.42%	9.0%	100.0%	35
I-75 at SW 484													
Northbound off	1	6,000	*	547	*	7.30%	3.44%	3.87%	0.44%	0.03%	9.0%	100.0%	35
Southbound on	1	5,300	*	282	*	9.20%	4.18%	4.84%	0.72%	0.05%	9.0%	100.0%	45
Northbound on	1	9,500	*	503	*	6.40%	3.14%	3.26%	0.49%	0.08%	9.0%	100.0%	45
Southbound off	1	8,400	*	856	*	8.30%	4.27%	4.10%	0.69%	0.15%	9.0%	100.0%	35
I-75 at SR 200													
Northbound off	1	7,900	*	536	*	5.20%	3.16%	2.02%	0.47%	0.07%	9.0%	100.0%	35
Southbound on	1	7,600	*	657	*	6.20%	4.11%	2.13%	0.47%	0.04%	9.0%	100.0%	45
Northbound on	1	8,000	*	624	*	3.40%	2.21%	1.22%	0.25%	0.14%	9.0%	100.0%	45
Southbound off	1	7,800	*	707	*	5.10%	3.61%	1.52%	0.39%	0.93%	9.0%	100.0%	35
Arterials and Cross Streets													
Arterial Segment	Number of Lanes	Two-Way AADT	Two-Way LOS C AADT	PM Peak Hour Peak Direction	LOS C Peak Hour Peak Direction	Design Hr. % T	Design Hr. % MT	Design Hr. % HT	Design Hr. % Buses	Design Hr. % Motorcycles	K-factor	PM D-factor	Posted Speed (mph)
SR 44													
West of I-75	4	11,500	45,800	800	2,390	8.40%	5.10%	3.30%	0.59%	0.77%	9.0%	62.3%	45
East of I-75	4	20,000	45,800	1,056	2,390	9.20%	4.47%	4.75%	0.71%	0.82%	9.0%	62.5%	45
SW 43rd St													
East of SR 200	4	18,500	30,700	1,717	1,520	2.90%	1.84%	1.05%	0.18%	0.42%	9.0%	58.7%	40
SR 200													
West of I-75	6	36,500	47,700	2,262	2,360	4.40%	3.01%	1.68%	1.21%	1.10%	9.0%	55.2%	45
East of I-75	6	43,500	47,700	2,228	2,360	4.90%	3.25%	1.76%	0.32%	0.17%	9.0%	54.1%	45

AADT: Annual Average Daily Traffic MT: Medium Trucks HT: Heavy Trucks

NOTES:

- (1) Number of lanes were obtained from field observations and aerial maps. Noise analysis to consider correct laneage per guidelines.
- (2) Traffic data is obtained from the operational analysis for the I-75 Master Plan (South Section) study.
- (3) Peak hour demand and LOS C peak hour maximum service volumes are provided directionally.
- (4) LOS C targets are based on the FDOT 2023 Quality/Level of Service Handbook tables and adjusted for local conditions.
- (5) LOS C AADTs are estimated using K and D factors and the design hour peak direction LOS C maximum service volumes.
- (6) The vehicle classification factors are obtained from Florida Traffic Online and 2019 vehicle classification counts.
- (7) Posted speed data are obtained by field observations.
- (8) Context classifications for 2023 QLOS methodologies were determined based on FDOT Straight Line Diagrams (SLDs).
- (9) No QLOS Generalized Service Volume or HCM thresholds are available for ramp LOS C AADTs.

Engineer: Jacob Mirabella

Signature: 

Date: 02/14/2024



**Noise Analysis Traffic Data - I-75 Master Plan/PD&E (South Section)
2040 No Build Weekday Conditions**

Freeway Mainline													
I-75 Mainline Segments	Number of Lanes	Two-Way AADT	Two-Way LOS C AADT	PM Peak Hour Peak Direction	LOS C Peak Hour Peak Direction	Design Hr. % T	Design Hr. % MT	Design Hr. % HT	Design Hr. % Buses	Design Hr. % Motorcycles	Standard K-factor	PM D-factor	Posted Speed (mph)
I-75													
South of SR 44	6	139,800	69,000	7,078	3,990	10.30%	1.91%	7.98%	0.19%	0.09%	9.0%	55.5%	70
Between SR 44 and SW 484	6	157,100	99,000	7,843	4,900	10.30%	1.91%	7.98%	0.19%	0.09%	9.0%	55.5%	70
Between SW 484 and SR 200	6	164,000	99,000	8,679	4,900	10.30%	1.91%	7.98%	0.19%	0.09%	9.0%	55.5%	70
North of SR 200	6	163,500	99,000	8,566	4,900	10.30%	1.91%	7.98%	0.19%	0.09%	9.0%	55.5%	70
I-75 Ramps													
I-75 Ramps	Number of Lanes	One-Way AADT	One-Way LOS C AADT	PM Peak Hour Peak Direction	Peak Hour Peak Direction	Design Hr. % T	PM Design Hr. % MT	PM Design Hr. % HT	PM Design Hr. % Buses	PM Design Hr. % Motorcycles	K-factor	PM D-factor	Operational Speed (mph)
I-75 at SR 44													
Northbound off	1	11,500	*	1,139	*	9.70%	3.50%	6.20%	0.63%	4.29%	9.0%	100.0%	50
Southbound on	1	15,000	*	1,240	*	14.90%	6.03%	8.88%	1.69%	2.45%	9.0%	100.0%	45
Northbound on	2	8,700	*	806	*	13.10%	3.66%	9.37%	1.14%	2.96%	9.0%	100.0%	45
Southbound off	2	8,600	*	765	*	11.20%	2.43%	8.81%	0.38%	0.42%	9.0%	100.0%	35
I-75 at SW 484													
Northbound off	1	8,700	*	1,001	*	7.30%	3.44%	3.87%	0.44%	0.03%	9.0%	100.0%	35
Southbound on	1	8,400	*	529	*	9.20%	4.18%	4.84%	0.72%	0.05%	9.0%	100.0%	45
Northbound on	1	12,500	*	795	*	6.40%	3.14%	3.26%	0.49%	0.08%	9.0%	100.0%	45
Southbound off	1	11,500	*	1,365	*	8.30%	4.27%	4.10%	0.69%	0.15%	9.0%	100.0%	35
I-75 at SR 200													
Northbound off	1	12,000	*	909	*	5.20%	3.16%	2.02%	0.47%	0.07%	9.0%	100.0%	35
Southbound on	1	11,500	*	1,206	*	6.20%	4.11%	2.13%	0.47%	0.04%	9.0%	100.0%	45
Northbound on	1	12,000	*	977	*	3.40%	2.21%	1.22%	0.25%	0.14%	9.0%	100.0%	45
Southbound off	1	11,000	*	1,093	*	5.10%	3.61%	1.52%	0.39%	0.93%	9.0%	100.0%	35
Arterials and Cross Streets													
Arterial Segment	Number of Lanes	Two-Way AADT	Two-Way LOS C AADT	PM Peak Hour Peak Direction	LOS C Peak Hour Peak Direction	Design Hr. % T	Design Hr. % MT	Design Hr. % HT	Design Hr. % Buses	Design Hr. % Motorcycles	K-factor	PM D-factor	Posted Speed (mph)
SR 44													
West of I-75	4	20,000	45,800	1,322	2,390	8.40%	5.10%	3.30%	0.59%	0.77%	9.0%	62.3%	45
East of I-75	4	26,500	45,800	1,683	2,390	9.20%	4.47%	4.75%	0.71%	0.82%	9.0%	62.5%	45
SW 43rd St													
East of SR 200	4	22,500	30,700	2,010	1,520	2.90%	1.84%	1.05%	0.18%	0.42%	9.0%	58.7%	40
SR 200													
West of I-75	6	45,000	47,700	2,815	2,360	4.40%	3.01%	1.68%	1.21%	1.10%	9.0%	55.2%	45
East of I-75	6	53,500	47,700	2,776	2,360	4.90%	3.25%	1.76%	0.32%	0.17%	9.0%	54.1%	45

AADT: Annual Average Daily Traffic MT: Medium Trucks HT: Heavy Trucks

NOTES:

- (1) Number of lanes were obtained from field observations and aerial maps. Noise analysis to consider correct laneage per guidelines.
- (2) Traffic data is obtained from the operational analysis for the I-75 Master Plan (South Section) study.
- (3) Peak hour demand and LOS C peak hour maximum service volumes are provided directionally.
- (4) LOS C targets are based on the FDOT 2023 Quality/Level of Service Handbook tables and adjusted for local conditions.
- (5) LOS C AADTs are estimated using K and D factors and the design hour peak direction LOS C maximum service volumes.
- (6) The vehicle classification factors are obtained from Florida Traffic Online and 2019 vehicle classification counts.
- (7) Posted speed data are obtained by field observations.
- (8) Context classifications for 2023 QLOS methodologies were determined based on FDOT Straight Line Diagrams (SLDs).
- (9) No QLOS Generalized Service Volume or HCM thresholds are available for ramp LOS C AADTs.
- (10) No vehicle classification forecasts are available. This summary assumes that future vehicle classification percentages of overall traffic will be the same as existing conditions.

Engineer: Jacob Mirabella

Signature: 

Date: 02/14/2024



**Noise Analysis Traffic Data - I-75 Master Plan/PD&E (South Section)
2040 Build Weekday Conditions**

Freeway Mainline													
I-75 Mainline Segments	Number of Lanes	Two-Way AADT	Two-Way LOS C AADT	PM Peak Hour Peak Direction	LOS C Peak Hour Peak Direction	Design Hr. % T	Design Hr. % MT	Design Hr. % HT	Design Hr. % Buses	Design Hr. % Motorcycles	Standard K-factor	PM D-factor	Posted Speed (mph)
I-75													
South of SR 44	6	139,800	69,000	7,078	3,990	10.30%	1.91%	7.98%	0.19%	0.09%	9.0%	55.5%	70
Between SR 44 and SW 484	8	157,100	119,000	7,843	5,900	10.30%	1.91%	7.98%	0.19%	0.09%	9.0%	55.5%	70
Between SW 484 and SR 200	8	164,000	119,000	8,679	5,900	10.30%	1.91%	7.98%	0.19%	0.09%	9.0%	55.5%	70
North of SR 200	8	163,500	119,000	8,566	5,900	10.30%	1.91%	7.98%	0.19%	0.09%	9.0%	55.5%	70
I-75 Ramps													
I-75 Ramps	Number of Lanes	One-Way AADT	One-Way LOS C AADT	PM Peak Hour Peak Direction	Peak Hour Peak Direction	Design Hr. % T	PM Design Hr. % MT	PM Design Hr. % HT	PM Design Hr. % Buses	PM Design Hr. % Motorcycles	K-factor	PM D-factor	Operational Speed (mph)
I-75 at SR 44													
Northbound off	1	11,500	*	1,139	*	9.70%	3.50%	6.20%	0.63%	4.29%	9.0%	100.0%	50
Southbound on	1	15,000	*	1,240	*	14.90%	6.03%	8.88%	1.69%	2.45%	9.0%	100.0%	45
Northbound on	2	8,700	*	806	*	13.10%	3.66%	9.37%	1.14%	2.96%	9.0%	100.0%	45
Southbound off	2	8,600	*	765	*	11.20%	2.43%	8.81%	0.38%	0.42%	9.0%	100.0%	35
I-75 at SW 484													
Northbound off	1	8,700	*	1,001	*	7.30%	3.44%	3.87%	0.44%	0.03%	9.0%	100.0%	35
Southbound on	1	8,400	*	529	*	9.20%	4.18%	4.84%	0.72%	0.05%	9.0%	100.0%	45
Northbound on	1	12,500	*	795	*	6.40%	3.14%	3.26%	0.49%	0.08%	9.0%	100.0%	45
Southbound off	1	11,500	*	1,365	*	8.30%	4.27%	4.10%	0.69%	0.15%	9.0%	100.0%	35
I-75 at SR 200													
Northbound off	1	12,000	*	909	*	5.20%	3.16%	2.02%	0.47%	0.07%	9.0%	100.0%	35
Southbound on	1	11,500	*	1,206	*	6.20%	4.11%	2.13%	0.47%	0.04%	9.0%	100.0%	45
Northbound on	1	12,000	*	977	*	3.40%	2.21%	1.22%	0.25%	0.14%	9.0%	100.0%	45
Southbound off	1	11,000	*	1,093	*	5.10%	3.61%	1.52%	0.39%	0.93%	9.0%	100.0%	35
Arterials and Cross Streets													
Arterial Segment	Number of Lanes	Two-Way AADT	Two-Way LOS C AADT	PM Peak Hour Peak Direction	LOS C Peak Hour Peak Direction	Design Hr. % T	Design Hr. % MT	Design Hr. % HT	Design Hr. % Buses	Design Hr. % Motorcycles	K-factor	PM D-factor	Posted Speed (mph)
SR 44													
West of I-75	4	20,000	45,800	1,322	2,390	8.40%	5.10%	3.30%	0.59%	0.77%	9.0%	62.3%	45
East of I-75	4	26,500	45,800	1,683	2,390	9.20%	4.47%	4.75%	0.71%	0.82%	9.0%	62.5%	45
SW 43rd St													
East of SR 200	4	22,500	30,700	2,010	1,520	2.90%	1.84%	1.05%	0.18%	0.42%	9.0%	58.7%	40
SR 200													
West of I-75	6	45,000	47,700	2,815	2,360	4.40%	3.01%	1.68%	1.21%	1.10%	9.0%	55.2%	45
East of I-75	6	53,500	47,700	2,776	2,360	4.90%	3.25%	1.76%	0.32%	0.17%	9.0%	54.1%	45

AAADT: Annual Average Daily Traffic MT: Medium Trucks HT: Heavy Trucks

NOTES:

- (1) Number of lanes were obtained from field observations and aerial maps. Noise analysis to consider correct laneage per guidelines.
- (2) Traffic data is obtained from the operational analysis for the I-75 Master Plan (South Section) study.
- (3) Peak hour demand and LOS C peak hour maximum service volumes are provided directionally.
- (4) LOS C targets are based on the FDOT 2023 Quality/Level of Service Handbook tables and adjusted for local conditions.
- (5) LOS C AADTs are estimated using K and D factors and the design hour peak direction LOS C maximum service volumes.
- (6) The vehicle classification factors are obtained from Florida Traffic Online and 2019 vehicle classification counts.
- (7) Posted speed data are obtained by field observations.
- (8) Context classifications for 2023 QLOS methodologies were determined based on FDOT Straight Line Diagrams (SLDs).
- (9) No QLOS Generalized Service Volume or HCM thresholds are available for ramp LOS C AADTs.
- (10) No vehicle classification forecasts are available. This summary assumes that future vehicle classification percentages of overall traffic will be the same as existing conditions.

Engineer: Jacob Mirabella

Signature: *Jacob Mirabella*

Date: 02/14/2024



Appendix B Predicted Noise Levels



Noise Study Report

Predicted Noise Levels										
Noise Sensitive Area (NSA)	Receptor Name	No. of Units	NAC	NAC Criterion (dB(A))	FDOT Criterion (dB(A))	2019 Existing LAeq1h	2040 No-Build LAeq1h (dB(A))	2040 Build LAeq1h (dB(A))	NAC Approach or Exceeded	Description
XX.X	Impacted Receptor									
NB1	NB1-SLU1	1	E	72.0	71.0	67.4	69.9	70.9	No	M&M Smokehouse BBQ outdoor seating
NB2	NB2-01	1	B	67.0	66.0	61.6	64.1	65.8	No	Royal residence
NB2	NB2-02	1	B	67.0	66.0	62.1	64.6	66.1	Yes	Royal residence
NB2	NB2-03	1	B	67.0	66.0	61.4	63.9	65.4	No	Royal residence
NB2	NB2-04	1	B	67.0	66.0	60.4	62.9	64.4	No	Royal residence
NB2	NB2-05	1	B	67.0	66.0	67.0	69.5	71.5	Yes	Royal residence
NB2	NB2-06	1	B	67.0	66.0	64.2	66.6	68.2	Yes	Royal residence
NB2	NB2-07	1	B	67.0	66.0	63.1	65.5	66.9	Yes	Royal residence
NB2	NB2-08	1	B	67.0	66.0	60.7	63.0	64.8	No	Royal residence
NB3	NB3-01	1	B	67.0	66.0	63.0	65.4	66.8	Yes	Royal residence
NB3	NB3-02	1	B	67.0	66.0	61.1	63.4	65.1	No	Royal residence
NB3	NB3-03	1	B	67.0	66.0	60.3	62.6	64.3	No	Royal residence
NB3	NB3-04	1	B	67.0	66.0	61.3	63.6	65.0	No	Royal residence
NB3	NB3-05	1	B	67.0	66.0	60.2	62.5	64.2	No	Royal residence
NB3	NB3-06	1	B	67.0	66.0	62.7	65.0	66.4	Yes	Royal residence
NB3	NB3-07	2	B	67.0	66.0	59.9	62.2	63.9	No	Royal residence
NB3	NB3-08	1	B	67.0	66.0	60.3	62.7	64.2	No	Royal residence
NB3	NB3-09	1	B	67.0	66.0	68.5	70.9	72.4	Yes	Royal residence
NB3	NB3-SLU1	1	C	67.0	66.0	58.2	60.6	62.7	No	Ebenezer AME Church - back yard
NB4	NB4-01	1	B	67.0	66.0	61.2	63.6	64.8	No	Residence
NB4	NB4-02	1	B	67.0	66.0	70.2	72.6	74.3	Yes	Residence
NB4	NB4-03	1	B	67.0	66.0	67.2	69.6	70.8	Yes	Residence
NB4	NB4-04	1	B	67.0	66.0	63.4	65.9	67.5	Yes	Residence
NB4	NB4-05	1	B	67.0	66.0	64.8	67.3	68.6	Yes	Residence
NB4	NB4-06	1	B	67.0	66.0	62.8	65.1	65.5	No	Residence
NB4	NB4-07	2	B	67.0	66.0	61.0	63.4	64.5	No	Residence
NB4	NB4-08	1	B	67.0	66.0	58.7	61.0	62.9	No	Residence
NB4	NB4-09	1	B	67.0	66.0	61.4	63.7	63.6	No	Residence
NB4	NB4-10	1	B	67.0	66.0	69.6	72.0	73.5	Yes	Residence



Noise Study Report

Noise Sensitive Area (NSA)	Receptor Name	No. of Units	NAC	NAC Criterion (dB(A))	FDOT Criterion (dB(A))	2019 Existing LAeq1h (dB(A))	2040 No-Build LAeq1h (dB(A))	2040 Build LAeq1h (dB(A))	NAC Approach or Exceeded	Description
NB4	NB4-11	1	B	67.0	66.0	70.1	72.5	74.0	Yes	Residence
NB4	NB4-12	1	B	67.0	66.0	71.0	73.4	74.9	Yes	Residence
NB4	NB4-13	1	B	67.0	66.0	58.4	60.8	62.5	No	Residence
NB4	NB4-14	1	B	67.0	66.0	63.3	65.7	67.3	Yes	Residence
NB4	NB4-15	1	B	67.0	66.0	64.4	66.9	68.8	Yes	Residence
NB4	NB4-16	1	B	67.0	66.0	61.8	64.1	65.4	No	Residence
NB4	NB4-17	1	B	67.0	66.0	59.9	62.2	63.7	No	Residence
NB4	NB4-18	1	B	67.0	66.0	67.4	69.9	71.8	Yes	Residence
NB4	NB4-19	1	B	67.0	66.0	63.2	65.5	66.8	Yes	Residence
NB4	NB4-20	1	B	67.0	66.0	60.9	63.2	64.5	No	Residence
NB4	NB4-21	1	B	67.0	66.0	66.4	69.0	70.8	Yes	Residence
NB4	NB4-22	1	B	67.0	66.0	61.4	63.7	64.9	No	Residence
NB4	NB4-23	1	B	67.0	66.0	63.8	66.3	67.6	Yes	Residence
NB4	NB4-24	1	B	67.0	66.0	62.5	64.9	65.9	No	Residence
NB4	NB4-25	1	B	67.0	66.0	61.5	63.9	64.8	No	Residence
NB4	NB4-26	1	B	67.0	66.0	62.1	64.5	65.7	No	Residence
NB4	NB4-SLU1	1	C	67.0	66.0	61.7	64.1	65.2	No	Kickstart Farm Stables
NB5	NB5-01	1	B	67.0	66.0	62.7	65.1	66.2	Yes	Residence
NB5	NB5-02	1	B	67.0	66.0	60.6	62.9	63.9	No	Residence
NB5	NB5-03	1	B	67.0	66.0	61.5	63.8	64.8	No	Residence
NB5	NB5-04	1	B	67.0	66.0	62.2	64.5	65.3	No	Residence
NB5	NB5-05	1	B	67.0	66.0	64.9	67.4	68.9	Yes	Residence
NB5	NB5-06	1	B	67.0	66.0	63.0	65.6	66.9	Yes	Residence
NB5	NB5-07	1	B	67.0	66.0	59.7	62.1	63.3	No	Residence
NB5	NB5-08	1	B	67.0	66.0	59.1	61.5	62.6	No	Residence
NB5	NB5-09	1	B	67.0	66.0	66.8	69.1	71.0	Yes	Residence
NB5	NB5-10	1	B	67.0	66.0	67.8	70.1	72.0	Yes	Residence
NB5	NB5-11	1	B	67.0	66.0	61.3	63.7	65.2	No	Residence
NB5	NB5-12	1	B	67.0	66.0	69.1	71.4	73.1	Yes	Residence
NB5	NB5-13	1	B	67.0	66.0	59.5	61.9	64.0	No	Residence
NB5	NB5-14	1	B	67.0	66.0	62.6	65.1	66.8	Yes	Residence
NB5	NB5-15	1	B	67.0	66.0	64.8	67.2	69.0	Yes	Residence
NB5	NB5-16	1	B	67.0	66.0	61.3	63.6	64.6	No	Residence
NB5	NB5-17	1	B	67.0	66.0	64.9	67.3	68.8	Yes	Residence
NB5	NB5-18	1	B	67.0	66.0	64.4	66.9	68.4	Yes	Residence



Noise Study Report

Noise Sensitive Area (NSA)	Receptor Name	No. of Units	NAC	NAC Criterion (dB(A))	FDOT Criterion (dB(A))	2019 Existing LAeq1h (dB(A))	2040 No-Build LAeq1h (dB(A))	2040 Build LAeq1h (dB(A))	NAC Approach or Exceeded	Description
NB5	NB5-19	1	B	67.0	66.0	62.1	64.4	65.3	No	Residence
NB5	NB5-SLU1	1	C	67.0	66.0	62.6	64.9	66.1	Yes	Shree Swaminarayan Temple patio
NB5	NB5-SLU2	1	C	67.0	66.0	66.9	68.7	69.5	Yes	Don Garlits Drag Racing Museum tables
NB5	NB5-SLU3	1	E	72.0	71.0	65.9	67.0	67.8	No	Sleep Inn pool
NB5	NB5-SLU4	1	E	72.0	71.0	67.3	69.0	69.7	No	Tom's Cuban tables 3 6-tops
NB6	NB6-01	1	B	67.0	66.0	65.5	67.3	68.0	Yes	Residence
NB6	NB6-02	1	B	67.0	66.0	60.1	61.8	63.0	No	Residence
NB6	NB6-SLU1	1	E	72.0	71.0	65.1	66.7	67.6	No	Microtel pool
NB7	NB7-01	1	B	67.0	66.0	67.9	69.6	71.5	Yes	Residence
NB7	NB7-02	1	B	67.0	66.0	65.4	67.1	68.9	Yes	Residence
NB7	NB7-03	1	B	67.0	66.0	64.3	66.0	67.2	Yes	Residence
NB7	NB7-04	1	B	67.0	66.0	66.0	67.7	69.2	Yes	Residence
NB7	NB7-05	1	B	67.0	66.0	64.8	66.5	67.3	Yes	Residence
NB7	NB7-06	1	B	67.0	66.0	69.0	70.7	72.2	Yes	Residence
NB7	NB7-07	1	B	67.0	66.0	66.8	68.5	69.7	Yes	Residence
NB7	NB7-08	6	B	67.0	66.0	69.2	70.8	72.0	Yes	Oak Bend residence
NB7	NB7-09	4	B	67.0	66.0	66.7	68.4	69.4	Yes	Oak Bend residence
NB7	NB7-10	11	B	67.0	66.0	65.6	67.3	68.3	Yes	Oak Bend residence
NB7	NB7-11	1	B	67.0	66.0	60.3	62.0	63.1	No	Oak Bend residence
NB7	NB7-12	1	B	67.0	66.0	60.3	62.1	63.1	No	Residence
NB7	NB7-13	1	B	67.0	66.0	62.2	63.9	65.2	No	Residence
NB7	NB7-14	1	B	67.0	66.0	65.9	67.6	68.6	Yes	Residence
NB7	NB7-15	4	B	67.0	66.0	65.3	67.0	68.0	Yes	Residence
NB7	NB7-16	2	B	67.0	66.0	64.2	65.9	66.9	Yes	Residence
NB7	NB7-17	6	B	67.0	66.0	60.1	61.8	62.8	No	Residence
NB7	NB7-18	1	B	67.0	66.0	60.1	61.8	62.8	No	Residence
NB7	NB719	1	B	67.0	66.0	59.6	61.3	62.3	No	Residence
NB7	NB7-20	1	B	67.0	66.0	65.4	67.1	68.2	Yes	Residence
NB7	NB7-21	3	B	67.0	66.0	65.0	66.7	67.5	Yes	Residence
NB7	NB7-22	3	B	67.0	66.0	64.5	66.2	67.1	Yes	Residence
NB7	NB7-23	3	B	67.0	66.0	62.9	64.6	65.7	No	Residence
NB7	NB7-24	1	B	67.0	66.0	64.0	65.7	66.8	Yes	Residence
NB7	NB7-25	1	B	67.0	66.0	61.1	62.8	64.1	No	Residence



Noise Study Report

Noise Sensitive Area (NSA)	Receptor Name	No. of Units	NAC	NAC Criterion (dB(A))	FDOT Criterion (dB(A))	2019 Existing LAeq1h (dB(A))	2040 No-Build LAeq1h (dB(A))	2040 Build LAeq1h (dB(A))	NAC Approach or Exceeded	Description
NB7	NB7-26	1	B	67.0	66.0	64.8	66.6	67.6	Yes	Residence
NB7	NB7-27	4	B	67.0	66.0	64.1	65.8	66.6	Yes	Residence
NB7	NB7-28	5	B	67.0	66.0	63.5	65.1	66.1	Yes	Residence
NB7	NB7-29	2	B	67.0	66.0	59.8	61.6	62.6	No	Residence
NB7	NB7-30	1	B	67.0	66.0	60.4	62.2	63.0	No	Residence
NB7	NB7-31	1	B	67.0	66.0	60.9	62.6	63.6	No	Residence
NB7	NB7-32	1	B	67.0	66.0	64.3	66.1	67.1	Yes	Residence
NB7	NB7-33	3	B	67.0	66.0	63.5	65.2	66.1	Yes	Residence
NB7	NB7-34	3	B	67.0	66.0	63.1	64.8	65.7	No	Residence
NB7	NB7-35	3	B	67.0	66.0	63.2	64.9	65.8	No	Residence
NB7	NB7-36	1	B	67.0	66.0	63.8	65.6	66.5	Yes	Residence
NB7	NB7-37	4	B	67.0	66.0	62.6	64.4	65.2	No	Residence
NB7	NB7-38	3	B	67.0	66.0	62.6	64.3	65.2	No	Residence
NB7	NB7-39	3	B	67.0	66.0	59.6	61.3	62.3	No	Residence
NB7	NB7-40	1	B	67.0	66.0	60.1	61.8	63.0	No	Residence
NB8	NB8-01	7	B	67.0	66.0	58.5	56.6	57.7	No	Residence
NB8	NB8-02	1	B	67.0	66.0	70.7	72.2	72.4	Yes	Residence
NB8	NB8-03	1	B	67.0	66.0	74.0	75.6	77.2	Yes	Residence
NB8	NB8-04	1	B	67.0	66.0	65.8	67.4	69.1	Yes	Residence
NB8	NB8-05	1	B	67.0	66.0	62.7	64.3	65.9	No	Residence
NB8	NB8-06	1	B	67.0	66.0	61.5	62.1	63.2	No	Residence
NB8	NB8-07	1	B	67.0	66.0	60.3	61.6	63.2	No	Residence
NB8	NB8-08	1	B	67.0	66.0	66.2	67.9	69.6	Yes	Residence
NB9	NB9-01	1	B	67.0	66.0	63.9	65.6	67.1	Yes	Residence
NB9	NB9-02	1	B	67.0	66.0	65.5	67.3	69.1	Yes	Residence
NB9	NB9-03	1	B	67.0	66.0	64.6	66.3	67.8	Yes	Residence
NB9	NB9-04	1	B	67.0	66.0	66.0	67.7	69.7	Yes	Residence
NB9	NB9-05	1	B	67.0	66.0	63.5	65.2	66.5	Yes	Residence
NB9	NB9-06	2	B	67.0	66.0	60.0	61.6	63.2	No	Residence
NB9	NB9-07	1	B	67.0	66.0	63.3	64.3	65.1	No	Red Oak Farm residence
NB9	NB9-SLU1	1	C	67.0	66.0	70.4	72.1	73.9	Yes	Equestrian Complex stables
NB9	NB9-SLU2	1	C	67.0	66.0	66.0	67.8	69.9	Yes	Equestrian Complex stables
NB10	NB10-01	1	B	67.0	66.0	64.7	66.4	67.3	Yes	Residence
NB10	NB10-SLU1	1	E	72.0	71.0	60.5	62.2	63.0	No	Hilton Hotel pool
NB10	NB10-SLU2	1	E	72.0	71.0	65.6	66.9	67.5	No	La Quinta Hotel pool



Noise Study Report

Noise Sensitive Area (NSA)	Receptor Name	No. of Units	NAC	NAC Criterion (dB(A))	FDOT Criterion (dB(A))	2019 Existing LAeq1h (dB(A))	2040 No-Build LAeq1h (dB(A))	2040 Build LAeq1h (dB(A))	NAC Approach or Exceeded	Description
SB1	SB1-SLU1	1	E	72.0	71.0	62.7	65.4	67.3	No	Days Inn Hotel pool
SB2	SB2-01	1	B	67.0	66.0	59.5	61.8	63.1	No	Royal residence
SB2	SB2-02	1	B	67.0	66.0	60.6	62.9	64.2	No	Royal residence
SB3	SB3-01	1	B	67.0	66.0	66.6	69.1	71.4	Yes	Royal residence
SB3	SB3-02	1	B	67.0	66.0	64.6	67.1	69.4	Yes	Royal residence
SB3	SB3-03	1	B	67.0	66.0	63.6	66.1	67.8	Yes	Royal residence
SB3	SB3-04	1	B	67.0	66.0	61.0	63.3	64.0	No	Royal residence
SB3	SB3-05	1	B	67.0	66.0	62.2	64.6	65.3	No	Royal residence
SB3	SB3-06	1	B	67.0	66.0	62.9	65.4	66.7	Yes	Royal residence
SB3	SB3-07	1	B	67.0	66.0	64.9	67.4	69.2	Yes	Royal residence
SB3	SB3-08	1	B	67.0	66.0	65.9	68.5	70.2	Yes	Royal residence
SB3	SB3-09	1	B	67.0	66.0	59.7	62.1	63.2	No	Royal residence
SB3	SB3-10	1	B	67.0	66.0	60.1	62.5	63.9	No	Royal residence
SB3	SB3-11	1	B	67.0	66.0	65.9	68.2	70.1	Yes	Royal residence
SB3	SB3-12	1	B	67.0	66.0	61.5	63.9	65.6	No	Royal residence
SB3	SB3-13	1	B	67.0	66.0	58.3	60.7	62.0	No	Royal residence
SB3	SB3-14	1	B	67.0	66.0	69.6	71.9	73.4	Yes	Royal residence
SB3	SB3-15	1	B	67.0	66.0	66.9	69.6	71.4	Yes	Royal residence
SB3	SB3-16	1	B	67.0	66.0	62.4	64.9	66.6	Yes	Royal residence
SB3	SB3-17	1	B	67.0	66.0	64.2	66.7	68.5		Royal residence
SB3	SB3-SLU1	1	C	67.0	66.0	70.6	73.1	74.6	Yes	Champagne Farm stables
SB4	SB4-01	1	B	67.0	66.0	63.8	66.3	67.8	Yes	Residence
SB4	SB4-02	1	B	67.0	66.0	65.8	68.2	69.8	Yes	Residence
SB4	SB4-03	1	B	67.0	66.0	64.8	67.3	68.5	Yes	Residence
SB4	SB4-04	1	B	67.0	66.0	66.8	69.3	70.3	Yes	Residence
SB4	SB4-05	1	B	67.0	66.0	63.3	65.7	66.5	Yes	Residence
SB4	SB4-06	1	B	67.0	66.0	68.1	70.6	71.9	Yes	Residence
SB4	SB4-07	1	B	67.0	66.0	64.5	67.0	67.4	Yes	Residence
SB4	SB4-08	1	B	67.0	66.0	65.5	68.0	68.7	Yes	Residence
SB4	SB4-09	1	B	67.0	66.0	63.5	66.0	66.7	Yes	Residence
SB5	SB5-01	2	B	67.0	66.0	62.4	64.8	65.8	No	Residence
SB5	SB5-02	1	B	67.0	66.0	55.7	58.2	59.1	No	Summer Glen residence
SB5	SB5-03	1	B	67.0	66.0	55.4	57.8	58.6	No	Summer Glen residence
SB5	SB5-04	1	B	67.0	66.0	55.4	57.8	58.6	No	Summer Glen residence
SB5	SB5-05	1	B	67.0	66.0	55.9	58.4	59.1	No	Summer Glen residence



Noise Study Report

Noise Sensitive Area (NSA)	Receptor Name	No. of Units	NAC	NAC Criterion (dB(A))	FDOT Criterion (dB(A))	2019 Existing LAeq1h (dB(A))	2040 No-Build LAeq1h (dB(A))	2040 Build LAeq1h (dB(A))	NAC Approach or Exceeded	Description
SB5	SB5-06	1	B	67.0	66.0	56.1	58.6	59.3	No	Summer Glen residence
SB5	SB5-07	1	B	67.0	66.0	56.5	58.9	59.7	No	Summer Glen residence
SB5	SB5-08	1	B	67.0	66.0	56.4	58.9	59.6	No	Summer Glen residence
SB5	SB5-09	1	B	67.0	66.0	56.7	59.1	59.9	No	Summer Glen residence
SB5	SB5-10	1	B	67.0	66.0	56.3	58.8	59.5	No	Summer Glen residence
SB5	SB5-11	1	B	67.0	66.0	55.9	58.4	59.1	No	Summer Glen residence
SB5	SB5-12	1	B	67.0	66.0	58.7	61.1	61.9	No	Summer Glen residence
SB5	SB5-13	1	B	67.0	66.0	58.8	61.2	62.0	No	Summer Glen residence
SB5	SB5-14	1	B	67.0	66.0	58.7	61.2	62.0	No	Summer Glen residence
SB5	SB5-15	1	B	67.0	66.0	58.4	60.9	61.7	No	Summer Glen residence
SB5	SB5-16	1	B	67.0	66.0	58.1	60.5	61.3	No	Summer Glen residence
SB5	SB5-17	1	B	67.0	66.0	57.9	60.3	61.1	No	Summer Glen residence
SB5	SB5-18	19	B	67.0	66.0	58.8	61.2	62.1	No	Summer Glen residence
SB5	SB5-19	1	B	67.0	66.0	61.3	63.8	64.7	No	Summer Glen residence
SB5	SB5-20	1	B	67.0	66.0	60.8	63.3	64.2	No	Summer Glen residence
SB5	SB5-21	1	B	67.0	66.0	59.8	62.3	63.3	No	Summer Glen residence
SB5	SB5-22	1	B	67.0	66.0	58.6	61.1	62.1	No	Summer Glen residence
SB5	SB5-23	1	B	67.0	66.0	57.6	60.0	60.8	No	Summer Glen residence
SB5	SB5-24	1	B	67.0	66.0	61.4	63.9	65.6	No	Residence
SB5	SB5-SLU1.1	1	C	67.0	66.0	55.3	57.7	58.6	No	Summer Glen Golf Course tee box #4
SB5	SB5-SLU1.2	1	C	67.0	66.0	55.8	58.2	58.9	No	Summer Glen hole #3
SB5	SB5-SLU1.3	1	C	67.0	66.0	58.0	60.5	61.3	No	Summer Glen tee box #3
SB5	SB5-SLU1.4	1	C	67.0	66.0	57.0	59.4	60.2	No	Summer Glen hole #2
SB5	SB5-SLU1.5	1	C	67.0	66.0	59.2	61.6	62.5	No	Summer Glen hole #11
SB5	SB5-SLU1.6	1	C	67.0	66.0	59.5	61.9	62.7	No	Summer Glen tee box #12
SB5	SB5-SLU1.7	1	C	67.0	66.0	62.2	64.6	65.6	No	Summer Glen hole #12
SB5	SB5-SLU1.8	1	C	67.0	66.0	65.2	67.6	68.7	Yes	Summer Glen tee box #13
SB5	SB5-SLU2	1	E	72.0	71.0	69.1	70.8	71.4	Yes	Wendy's outdoor tables
SB6	SB6-SLU1	1	E	72.0	71.0	68.6	70.3	71.0	Yes	Hampton Inn Hotel pool
SB6	SB6-SLU2	1	C	67.0	66.0	67.0	68.7	69.8	Yes	Alphabet Land Learning Center playground
SB7	SB7-01	1	B	67.0	66.0	60.1	61.8	63.1	No	Ocala Waterways Estates Residence
SB7	SB7-02	1	B	67.0	66.0	60.5	62.2	63.5	No	Ocala Waterways Estates Residence
SB7	SB7-03	1	B	67.0	66.0	61.0	62.8	64.2	No	Ocala Waterways Estates Residence



Noise Study Report

Noise Sensitive Area (NSA)	Receptor Name	No. of Units	NAC	NAC Criterion (dB(A))	FDOT Criterion (dB(A))	2019 Existing LAeq1h (dB(A))	2040 No-Build LAeq1h (dB(A))	2040 Build LAeq1h (dB(A))	NAC Approach or Exceeded	Description
SB7	SB7-04	1	B	67.0	66.0	63.0	64.7	66.2	Yes	Ocala Waterways Estates Residence
SB7	SB7-05	1	B	67.0	66.0	63.6	65.3	66.8	Yes	Ocala Waterways Estates Residence
SB7	SB7-06	1	B	67.0	66.0	64.3	65.9	67.3	Yes	Ocala Waterways Estates Residence
SB7	SB7-07	1	B	67.0	66.0	66.0	67.6	69.0	Yes	Ocala Waterways Estates Residence
SB7	SB7-08	1	B	67.0	66.0	68.3	69.9	70.9	Yes	Ocala Waterways Estates Residence
SB7	SB7-09	1	B	67.0	66.0	65.9	67.5	68.8	Yes	Ocala Waterways Estates Residence
SB7	SB7-10	1	B	67.0	66.0	67.0	68.6	69.7	Yes	Ocala Waterways Estates Residence
SB7	SB7-11	1	B	67.0	66.0	67.7	69.3	70.4	Yes	Ocala Waterways Estates Residence
SB7	SB7-12	1	B	67.0	66.0	68.4	70.0	71.2	Yes	Ocala Waterways Estates Residence
SB7	SB7-13	1	B	67.0	66.0	68.5	70.1	71.3	Yes	Ocala Waterways Estates Residence
SB7	SB7-14	1	B	67.0	66.0	68.3	70.0	71.2	Yes	Ocala Waterways Estates Residence
SB7	SB7-15	1	B	67.0	66.0	67.0	68.8	70.1	Yes	Ocala Waterways Estates Residence
SB7	SB7-16	1	B	67.0	66.0	69.0	70.7	71.9	Yes	Ocala Waterways Estates Residence
SB7	SB7-17	1	B	67.0	66.0	71.1	72.8	74.0	Yes	Ocala Waterways Estates Residence
SB7	SB7-18	1	B	67.0	66.0	66.3	68.0	69.3	Yes	Ocala Waterways Estates Residence
SB7	SB7-19	1	B	67.0	66.0	59.3	61.1	62.3	No	Ocala Waterways Estates Residence
SB7	SB7-20	1	B	67.0	66.0	59.7	61.5	62.8	No	Ocala Waterways Estates Residence
SB7	SB7-21	1	B	67.0	66.0	61.1	62.8	64.2	No	Ocala Waterways Estates Residence
SB7	SB7-22	1	B	67.0	66.0	62.1	63.8	65.1	No	Ocala Waterways Estates Residence
SB7	SB7-23	1	B	67.0	66.0	62.9	64.5	65.8	No	Ocala Waterways Estates Residence
SB7	SB7-24	1	B	67.0	66.0	63.9	65.6	66.8	Yes	Ocala Waterways Estates Residence
SB7	SB7-25	1	B	67.0	66.0	64.6	66.3	67.5	Yes	Ocala Waterways Estates Residence
SB7	SB7-26	1	B	67.0	66.0	64.0	65.7	66.9	Yes	Ocala Waterways Estates Residence
SB7	SB7-27	1	B	67.0	66.0	63.8	65.5	66.8	Yes	Ocala Waterways Estates Residence



Noise Study Report

Noise Sensitive Area (NSA)	Receptor Name	No. of Units	NAC	NAC Criterion (dB(A))	FDOT Criterion (dB(A))	2019 Existing LAeq1h (dB(A))	2040 No-Build LAeq1h (dB(A))	2040 Build LAeq1h (dB(A))	NAC Approach or Exceeded	Description
SB7	SB7-28	1	B	67.0	66.0	63.6	65.4	66.5	Yes	Kingsland Country Estates residence
SB7	SB7-29	1	B	67.0	66.0	63.5	65.3	66.5	Yes	Kingsland Country Estates residence
SB7	SB7-30	1	B	67.0	66.0	64.5	66.3	67.4	Yes	Kingsland Country Estates residence
SB7	SB7-31	1	B	67.0	66.0	67.8	69.5	71.0	Yes	Kingsland Country Estates residence
SB7	SB7-32	1	B	67.0	66.0	70.3	71.9	72.7	Yes	Kingsland Country Estates residence
SB7	SB7-33	1	B	67.0	66.0	64.8	66.6	67.7	Yes	Kingsland Country Estates residence
SB7	SB7-34	1	B	67.0	66.0	61.8	63.6	64.8	No	Ocala Waterways Estates Residence
SB7	SB7-35	1	B	67.0	66.0	61.5	63.3	64.5	No	Kingsland Country Estates residence
SB7	SB7-36	1	B	67.0	66.0	61.7	63.4	64.6	No	Kingsland Country Estates residence
SB7	SB7-37	1	B	67.0	66.0	61.2	63.0	63.9	No	Kingsland Country Estates residence
SB7	SB7-38	1	B	67.0	66.0	61.9	63.6	64.5	No	Kingsland Country Estates residence
SB7	SB7-39	1	B	67.0	66.0	61.5	63.3	64.3	No	Kingsland Country Estates residence
SB7	SB7-40	1	B	67.0	66.0	61.7	63.5	64.3	No	Kingsland Country Estates residence
SB7	SB7-41	1	B	67.0	66.0	61.5	63.2	64.1	No	Kingsland Country Estates residence
SB7	SB7-42	1	B	67.0	66.0	60.2	62.0	62.8	No	Kingsland Country Estates residence
SB7	SB7-43	1	B	67.0	66.0	60.0	61.7	62.5	No	Kingsland Country Estates residence
SB7	SB7-44	1	B	67.0	66.0	61.6	63.3	64.1	No	Residence
SB7	SB7-45	1	B	67.0	66.0	65.6	67.4	68.4	Yes	Residence
SB7	SB7-46	1	B	67.0	66.0	69.3	71.0	72.1	Yes	Residence
SB7	SB7-47	1	B	67.0	66.0	61.3	62.9	63.8	No	Residence
SB7	SB7-48	1	B	67.0	66.0	61.3	63.0	63.8	No	Residence
SB7	SB7-49	1	B	67.0	66.0	68.5	70.1	71.0	Yes	Residence
SB7	SB7-50	1	B	67.0	66.0	61.6	63.3	64.0	No	Residence
SB7	SB7-51	1	B	67.0	66.0	65.1	66.9	67.8	Yes	Residence
SB7	SB7-52	1	B	67.0	66.0	62.6	64.3	65.1	No	Residence
SB7	SB7-53	1	B	67.0	66.0	61.7	63.4	64.2	No	Residence
SB7	SB7-54	1	B	67.0	66.0	71.6	73.2	73.9	Yes	Residence
SB7	SB7-55	1	B	67.0	66.0	71.0	72.7	73.5	Yes	Residence
SB7	SB7-56	1	B	67.0	66.0	69.6	71.2	72.1	Yes	Residence




Noise Study Report


Noise Sensitive Area (NSA)	Receptor Name	No. of Units	NAC	NAC Criterion (dB(A))	FDOT Criterion (dB(A))	2019 Existing LAeq1h (dB(A))	2040 No-Build LAeq1h (dB(A))	2040 Build LAeq1h (dB(A))	NAC Approach or Exceeded	Description
SB7	SB7-57	1	B	67.0	66.0	70.4	72.1	73.1	Yes	Residence
SB7	SB7-58	1	B	67.0	66.0	71.2	72.9	74.0	Yes	Residence
SB7	SB7-59	1	B	67.0	66.0	66.4	68.2	69.2	Yes	Residence
SB7	SB7-60	1	B	67.0	66.0	63.4	65.2	66.3	Yes	Residence
SB7	SB7-61	1	B	67.0	66.0	60.8	62.4	63.3	No	Residence
SB8	SB8-01	8	B	67.0	66.0	59.7	61.4	62.4	No	Residence
SB8	SB8-02	1	B	67.0	66.0	67.9	69.6	70.8	Yes	Residence
SB8	SB8-03	1	B	67.0	66.0	63.2	64.9	66.0	Yes	Residence
SB8	SB8-04	1	B	67.0	66.0	66.2	67.9	69.7	Yes	Residence
SB8	SB8-05	1	B	67.0	66.0	70.7	72.4	74.3	Yes	Residence
SB8	SB8-06	1	B	67.0	66.0	65.5	67.2	68.9	Yes	Residence
SB8	SB8-07	1	B	67.0	66.0	62.7	64.3	65.6	No	Residence
SB8	SB8-08	1	B	67.0	66.0	67.7	69.5	71.5	Yes	Residence
SB8	SB8-09	1	B	67.0	66.0	65.3	67.1	68.7	Yes	Residence
SB8	SB8-10	1	B	67.0	66.0	62.9	64.5	65.8	No	Residence
SB8	SB8-11	1	B	67.0	66.0	69.2	70.9	72.0	Yes	Residence
SB8	SB8-12	1	B	67.0	66.0	66.6	68.3	69.6	Yes	Residence
SB8	SB8-13	1	B	67.0	66.0	62.9	64.6	65.9	No	Residence
SB8	SB8-14	1	B	67.0	66.0	63.8	65.5	66.7	Yes	Residence
SB8	SB8-15	1	B	67.0	66.0	60.3	62.0	63.5	No	Residence
SB8	SB8-16	1	B	67.0	66.0	69.7	71.5	73.2	Yes	Residence
SB8	SB8-17	1	B	67.0	66.0	70.0	71.7	73.3	Yes	Residence
SB8	SB8-SLU1	1	C	67.0	66.0	62.5	64.3	65.1	No	Ocala Korean Baptist Church front portico benches
SB9	SB9-SLU1	1	E	72.0	71.0	64.7	66.0	66.4	No	SPXFLOW employee gazebo
SB10	SB10-SLU1.1	1	E	72.0	71.0	74.3	75.9	76.9	Yes	Shopping center bench
SB10	SB10-SLU1.2	1	E	72.0	71.0	68.0	69.6	70.9	No	Shopping center bench
SB10	SB10-SLU2	1	E	72.0	71.0	59.7	60.7	61.1	No	Gator Dockside outdoor tables
SB10	SB10-SLU3	1	E	72.0	71.0	73.6	75.2	76.0	Yes	Fairfield Inn Hotel pool
SB10	SB10-SLU4	1	E	72.0	71.0	71.5	72.7	72.6	Yes	Steak and Shake outdoor tables
SB11	SB11-01A	1	B	67.0	66.0	61.9	63.6	64.4	No	Canterbury Apts. ground floor unit
SB11	SB11-01B	1	B	67.0	66.0	64.6	66.2	67.0	Yes	Canterbury Apts. 2nd-floor unit


Noise Sensitive Area (NSA)	Receptor Name	No. of Units	NAC	NAC Criterion (dB(A))	FDOT Criterion (dB(A))	2019 Existing LAeq1h (dB(A))	2040 No-Build LAeq1h (dB(A))	2040 Build LAeq1h (dB(A))	NAC Approach or Exceeded	Description
SB11	SB11-02A	2	B	67.0	66.0	63.1	64.8	65.6	No	Canterbury Apts. ground floor unit
SB11	SB11-02B	2	B	67.0	66.0	65.7	67.4	68.2	Yes	Canterbury Apts. 2nd-floor unit
SB11	SB11-02C	2	B	67.0	66.0	66.7	68.3	69.1	Yes	Canterbury Apts. 3rd-floor unit
SB11	SB11-03A	4	B	67.0	66.0	63.0	64.7	65.5	No	Canterbury Apts. ground floor unit
SB11	SB11-03B	4	B	67.0	66.0	65.5	67.2	68.0	Yes	Canterbury Apts. 2nd-floor unit
SB11	SB11-04A	2	B	67.0	66.0	63.0	64.7	65.5	No	Canterbury Apts. ground floor unit
SB11	SB11-04B	2	B	67.0	66.0	65.7	67.3	68.1	Yes	Canterbury Apts. 2nd-floor unit
SB11	SB11-04C	2	B	67.0	66.0	66.8	68.4	69.2	Yes	Canterbury Apts. 3rd-floor unit
SB11	SB11-05A	2	B	67.0	66.0	63.3	64.9	65.7	No	Canterbury Apts. ground floor unit
SB11	SB11-05B	2	B	67.0	66.0	66.2	67.8	68.6	Yes	Canterbury Apts. 2nd-floor unit
SB11	SB11-05C	2	B	67.0	66.0	67.4	69.0	69.8	Yes	Canterbury Apts. 3rd-floor unit
SB11	SB11-06A	1	B	67.0	66.0	63.3	64.9	65.7	No	Canterbury Apts. ground floor unit
SB11	SB11-06B	1	B	67.0	66.0	66.2	67.9	68.7	Yes	Canterbury Apts. 2nd-floor unit
SB11	SB11-07A	1	B	67.0	66.0	58.8	60.3	61.1	No	Canterbury Apts. ground floor unit
SB11	SB11-07B	1	B	67.0	66.0	61.2	62.8	63.6	No	Canterbury Apts. 2nd-floor unit
SB11	SB11-08A	1	B	67.0	66.0	59.9	61.5	62.3	No	Canterbury Apts. ground floor unit
SB11	SB11-08B	1	B	67.0	66.0	62.5	64.1	64.9	No	Canterbury Apts. 2nd-floor unit
SB11	SB11-SLU1	1	E	72.0	71.0	70.0	70.9	70.9	No	Burger King outdoor tables
SB11	SB11-SLU2	1	E	72.0	71.0	68.6	70.1	70.9	No	Best Western Hotel pool
SB11	SB11-SLU3	1	E	72.0	71.0	68.5	70.1	70.8	No	Hampton Inn Hotel pool
SB11	SB11-SLU4	1	E	72.0	71.0	60.0	61.6	62.3	No	Residence Inn Hotel tennis & pool
SB11	SB11-SLU5	1	E	72.0	71.0	64.6	66.2	67.0	No	Holiday Inn Hotel pool
SB11	SB11-SLU6	1	E	72.0	71.0	62.0	63.7	64.5	No	Holiday Inn Express Hotel pool
SB11	SB11-SLU7	1	E	72.0	71.0	71.2	72.7	73.6	Yes	Home 2 Suites Hotel pool



Appendix C Noise Barrier Location Maps

























- Impact - Benefit
- No Impact - Benefit
- × Impact - No Benefit
- ▬ Barrier Recommended
- ▬ Barrier Not recommended
- ▬ Planned in Other Project
- ▬ Developer Built Wall/Berm
- ⊞ CNE
- Conforming Billboard


0 300 Feet




























Appendix D Project Aerials




























































1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030











Stephen Browning, PE

Florida Department of Transportation

District Five

719 S. Woodland Blvd

DeLand, FL 32720

(904) 769-6595

Stephen.Browning@dot.state.fl.us